

Application Source: ROE

File Group:

Record Name: Exception Request Commodity

Record Code: R37

File Type: Delimited

Reinsurance Year: 2015

Version: Approved

Release Date: 7/1/2014

<u>Record Number</u>	<u>Output</u>	<u>Field Number</u>	<u>Field Name</u>	<u>Data Type</u>	<u>Max Length</u>	<u>Format</u>	<u>BUS Key</u>	<u>Reg</u>	<u>Rules Summary</u>
R37		1	AIP Code	Character	2		Y	Y	AIP Code must be valid; edit with the AIP ICE, "D00100".
R37		2	Reinsurance Year	Numeric	4	CCYY	Y	Y	Reinsurance Year must be "2015".
R37		3	Record Type Code	Character	6			Y	Record Type Code must equal "R37".
R37		4	AIP Exception Request Key	Character	15		Y	Y	AIP Exception Request Key must match the corresponding primary Exception Request ("R35") record.
R37		5	AIP Exception Request Commodity Key	Character	15		Y	Y	AIP Exception Request Commodity Key must be unique within the AIP Exception Request Key.
R37		6	Commodity Code	Character	4			Y	Commodity Code must be valid; edit with the type practice crosswalk D10008.
R37		7	Commodity Year	Numeric	4	CCYY		Y	Must be either RY -1, RY, or RY +1.
									In ALL cases, if the user has submitted all 4 of the extended Type Codes, then populate the Type Code using the. Type-Practice Crosswalk.
R37		8	Type Code	Character	3				Type Code must be blank if the request would require RMA to issue a new code. Type Code must be blank if the request would require RMA to establish a new type-practice combination for the Commodity. Type Code Details in narrative of request form.
									Type Code will be blank if the request covers all offered options. Details in narrative of request form.

"" = Output Only

6/26/2014

Application Source: ROE

File Group:

Record Name: Exception Request Commodity

Record Code: R37

File Type: Delimited

Reinsurance Year: 2015

Version: Approved

Release Date: 7/1/2014

<u>Record</u> <u>Number</u>	<u>Output</u> <u>Number</u>	<u>Field</u> <u>Number</u>	<u>Field Name</u>	<u>Data Type</u>	<u>Max</u> <u>Length</u>	<u>Format</u>	<u>BUS</u> <u>Key</u>	<u>Reg</u>	<u>Rules Summary</u>
									Type Code, if not blank, must be a valid code for the Reinsurance Year
									Verify that Type-Practice combinations are valid.
R37		9	Practice Code	Character	3				Practice Code will be blank if the request would require RMA to issue a new code. Practice Code must be blank if the request would require RMA to establish a new type-practice combination for the Commodity. Details in narrative of request form.
									Practice Code will be blank if the request covers all offered options. Details in narrative of request form.
									Practice Code, if not blank, must be a valid code for the Reinsurance Year
									If the Type Code is blank then Practice Code must be blank. If Type Code is populated then the Practice Code must be populated
									In all cases, if the user has submitted all 4 of the extended Practice Codes, then populate the Practice Code using the Type-Practice Crosswalk

Application Source: ROE

File Group:

Record Name: Exception Request Commodity

Record Code: R37

File Type: Delimited

Reinsurance Year: 2015

Version: Approved

Release Date: 7/1/2014

<u>Record</u> <u>Number</u>	<u>Output</u> <u>Number</u>	<u>Field</u> <u>Number</u>	<u>Field Name</u>	<u>Data Type</u>	<u>Max</u> <u>Length</u>	<u>Format</u>	<u>BUS</u> <u>Key</u>	<u>Reg</u>	<u>Rules Summary</u>
R37		10	Commodity Type Code	Character	3				Commodity Type Code will be blank if the request would require RMA to issue a new code. Commodity Type Code must be blank if the request would require RMA to establish a new type-practice combination for the Commodity. Details in narrative of request form.
									Commodity Type Code will be blank if the request covers all offered options. Details in narrative of request form.
									Commodity Type Code, if not blank, must be a valid code for the Reinsurance Year
									Commodity Type Code must be blank if any of the other 7 types and practices are blank
									Commodity Type Code must be populated if any of the other 7 extended types and practices are populated. See Type/Practice Rules below for more details
									In all cases, if the user has submitted Type Code and Practice Codes, then populate the Commodity Type Code using the Type-Practice Crosswalk

Application Source: ROE

File Type: Delimited

File Group:

Reinsurance Year: 2015

Record Name: Exception Request Commodity

Version: Approved

Record Code: R37

Release Date: 7/1/2014

<u>Record</u> <u>Number</u>	<u>Output</u> <u>Number</u>	<u>Field</u> <u>Number</u>	<u>Field Name</u>	<u>Data Type</u>	<u>Max</u> <u>Length</u>	<u>Format</u>	<u>BUS</u> <u>Key</u>	<u>Reg</u>	<u>Rules Summary</u>
R37		11	Class Code	Character	3				Class Code will be blank if the request would require RMA to issue a new code. Class Code must be blank if the request would require RMA to establish a new type-practice combination for the Commodity. Details in narrative of request form.
									Class Code will be blank if the request covers all offered options. Details in narrative of request form.
									Class Code, if not blank, must be a valid code for the Reinsurance Year
									Class Code must be blank if any of the other 7 types and practices are blank
									Class Code must be populated if any of the other 7 extended types and practices are populated. See Type/Practice Rules below for more details
									In all cases, if the user has submitted Type Code and Practice Codes, then populate the Class Code using the Type-Practice Crosswalk

Application Source: ROE

File Type: Delimited

File Group:

Reinsurance Year: 2015

Record Name: Exception Request Commodity

Version: Approved

Record Code: R37

Release Date: 7/1/2014

<u>Record</u> <u>Number</u>	<u>Output</u> <u>Number</u>	<u>Field</u> <u>Number</u>	<u>Field Name</u>	<u>Data Type</u>	<u>Max</u> <u>Length</u>	<u>Format</u>	<u>BUS</u> <u>Key</u>	<u>Reg</u>	<u>Rules Summary</u>
R37		12	Sub Class Code	Character	3				Sub Class Code will be blank if the request would require RMA to issue a new code. Sub Class Code must be blank if the request would require RMA to establish a new type-practice combination for the Commodity. Details in narrative of request form.
									Sub Class Code will be blank if the request covers all offered options. Details in narrative of request form.
									Sub Class Code, if not blank, must be a valid code for the Reinsurance Year
									Sub Class Code must be populated if any of the other 7 extended types and practices are populated. See Type/Practice Rules below for more details
									Sub Class Code must be blank if any of the other 7 types and practices are blank
									In all cases, if the user has submitted Type Code and Practice Codes, then populate the Sub Class Code using the Type-Practice Crosswalk

Application Source: ROE

File Type: Delimited

File Group:

Reinsurance Year: 2015

Record Name: Exception Request Commodity

Version: Approved

Record Code: R37

Release Date: 7/1/2014

<u>Record</u> <u>Number</u>	<u>Output</u> <u>Number</u>	<u>Field</u> <u>Number</u>	<u>Field Name</u>	<u>Data Type</u>	<u>Max</u> <u>Length</u>	<u>Format</u>	<u>BUS</u> <u>Key</u>	<u>Reg</u>	<u>Rules Summary</u>
R37		13	Intended Use Code	Character	3				Intended Use Code will be blank if the request would require RMA to issue a new code. Intended Use Code must be blank if the request would require RMA to establish a new type-practice combination for the Commodity. Details in narrative of request form.
									Intended Use Code will be blank if the request covers all offered options. Details in narrative of request form.
									Intended Use Code, if not blank, must be a valid code for the Reinsurance Year
									Intended Use Code must be populated if any of the other 7 extended types and practices are populated. See Type/Practice Rules below for more details
									Intended Use Code must be blank if any of the other 7 types and practices are blank
									In all cases, if the user has submitted Type Code and Practice Codes, then populate the Intended Use Code using the Type-Practice Crosswalk

Application Source: ROE

File Type: Delimited

File Group:

Reinsurance Year: 2015

Record Name: Exception Request Commodity

Version: Approved

Record Code: R37

Release Date: 7/1/2014

<u>Record Number</u>	<u>Output</u>	<u>Field Number</u>	<u>Field Name</u>	<u>Data Type</u>	<u>Max Length</u>	<u>Format</u>	<u>BUS Key</u>	<u>Reg</u>	<u>Rules Summary</u>
R37		14	Irrigation Practice Code	Character	3				Irrigation Practice Code will be blank if the request would require RMA to issue a new code. Irrigation Practice Code must be blank if the request would require RMA to establish a new type-practice combination for the Commodity.
									Irrigation Practice Code will be blank if the request covers all offered options. Details in narrative of request form.
									Irrigation Practice Code, if not blank, must be a valid code for the Reinsurance Year
									Irrigation Practice Code must be blank if any of the other 7 types and practices are blank
									Irrigation Practice Code must be populated if any of the other 7 extended types and practices are populated. See Type/Practice Rules below for more details
									In all cases, if the user has submitted Type Code and Practice Codes, then populate the Irrigation Practice Code using the Type-Practice Crosswalk
R37		15	Cropping Practice Code	Character	3				Cropping Practice Code will be blank if the request would require RMA to issue a new code. Cropping Practice Code must be blank if the request would require RMA to establish a new type-practice combination for the Commodity. Details in narrative of request form.

"*" = Output Only

6/26/2014

Application Source: ROE

File Group:

Record Name: Exception Request Commodity

Record Code: R37

File Type: Delimited

Reinsurance Year: 2015

Version: Approved

Release Date: 7/1/2014

<u>Record</u> <u>Number</u>	<u>Output</u> <u>Number</u>	<u>Field</u> <u>Number</u>	<u>Field Name</u>	<u>Data Type</u>	<u>Max</u> <u>Length</u>	<u>Format</u>	<u>BUS</u> <u>Key</u>	<u>Reg</u>	<u>Rules Summary</u>
									Cropping Practice Code will be blank if the request covers all offered options. Details in narrative of request form.
									Cropping Practice Code, if not blank, must be a valid code for the Reinsurance Year
									Cropping Practice Code must be blank if any of the other 7 types and practices are blank
									Cropping Practice Code must be populated if any of the other 7 extended types and practices are populated. See Type/Practice Rules below for more details
									In all cases, if the user has submitted Type Code and Practice Codes, then populate the Cropping Practice Code using the Type-Practice Crosswalk
R37		16	Organic Practice Code	Character	3				Organic Practice Code will be blank if the request would require RMA to issue a new code. Organic Practice Code must be blank if the request would require RMA to establish a new type-practice combination for the Commodity. Details in narrative of request form.
									Organic Practice Code will be blank if the request covers all offered options. Details in narrative of request form.

Application Source: ROE

File Type: Delimited

File Group:

Reinsurance Year: 2015

Record Name: Exception Request Commodity

Version: Approved

Record Code: R37

Release Date: 7/1/2014

<u>Record Number</u>	<u>Output</u>	<u>Field Number</u>	<u>Field Name</u>	<u>Data Type</u>	<u>Max Length</u>	<u>Format</u>	<u>BUS Key</u>	<u>Req</u>	<u>Rules Summary</u>
									Organic Practice Code, if not blank, must be a valid code for the Reinsurance Year
									Organic Practice Code must be blank if any of the other 7 types and practices are blank
									Organic Practice Code must be populated if any of the other 7 extended types and practices are populated. See Type/Practice Rules below for more details
									In all cases, if the user has submitted Type Code and Practice Codes, then populate the Organic Practice Code using the Type-Practice Crosswalk
R37		17	Interval Code	Character	3				Interval Code will be blank if the request would require RMA to issue a new code. Interval Code must be blank if the request would require RMA to establish a new type-practice combination for the Commodity.Details in narrative of request form.
									Interval Code will be blank if the request covers all offered options. Details in narrative of request form.
									Interval Code, if not blank, must be a valid code for the Reinsurance Year
									Interval Code must be blank if any of the other 7 types and practices are blank

"" = Output Only

6/26/2014

Application Source: ROE

File Type: Delimited

File Group:

Reinsurance Year: 2015

Record Name: Exception Request Commodity

Version: Approved

Record Code: R37

Release Date: 7/1/2014

<u>Record Number</u>	<u>Output</u>	<u>Field Number</u>	<u>Field Name</u>	<u>Data Type</u>	<u>Max Length</u>	<u>Format</u>	<u>BUS Key</u>	<u>Reg</u>	<u>Rules Summary</u>
									Interval Code must be populated if any of the other 7 extended types and practices are populated. See Type/Practice Rules below for more details
									In all cases, if the user has submitted Type Code and Practice Codes, then populate the Interval Code using the Type-Practice Crosswalk
R37	*	18	Initial Accepted Batch Number	Numeric	4	9999			Initial Accepted Batch Number is the original sequence number assigned when this record was first received at RMA.
R37	*	19	Initial Accepted Date	Date/Time	21	CCYYMMDD hh:mm:ss.fff			Initial Accepted Date is the original date assigned when this record was first received at RMA.
R37	*	20	Batch Received Date	Date/Time	21	CCYYMMDD hh:mm:ss.fff			Batch Received Date is the date that the AIP file is received by RMA.
R37	*	21	Batch Number	Numeric	4	9999			Batch Number is a sequential number assigned when an AIP file is received.
R37	*	22	Batch Record ID	Numeric	15				Batch Record ID is a sequential number assigned to each record in the AIP file by RMA during processing. Batch Record ID is unique within the record type for the batch.
R37	*	23	Process Result Code	Character	1				Process Result Code equals the final result code as determined by PASS processing, refer to the Process Result ICE , "D00002".

"" = Output Only

6/26/2014

Application Source: ROE

File Type: Delimited

File Group:

Reinsurance Year: 2015

Record Name: Exception Request Commodity

Version: Approved

Record Code: R37

Release Date: 7/1/2014

<u>Record</u> <u>Number</u>	<u>Output</u> <u>Number</u>	<u>Field</u> <u>Number</u>	<u>Field Name</u>	<u>Data Type</u>	<u>Max</u> <u>Length</u>	<u>Format</u>	<u>BUS</u> <u>Key</u>	<u>Reg</u>	<u>Rules Summary</u>
Record Level Rules									
									Must have an accepted R35
									Record must be submitted between 2014-07-01 and 2020-02-01.
									Must be a valid Commodity Year based on the Reinsurance Year, and Commodity Code.
									Record will not be accepted when processing has been suspended for this record type per RMA directive.
									If there is a 37A submitted, it must be accepted for the R37 to be accepted. (WARNING ONLY)