|                                |                               | Application Source:<br>File Group:<br>Record Name:<br>Record Code: | Employee         |                      | File Type:<br>Reinsurance Year:<br>Version:<br>Release Date: |                   |      | Approved  |
|--------------------------------|-------------------------------|--|------------------|----------------------|--|-------------------|------|---|
| <u>Record</u><br><u>Number</u> | <u>Field</u><br><u>Number</u> | <u>Field Name</u>  | <u>Data Type</u> | <u>Max</u><br>Length | <u>Format</u>  | <u>BUS</u><br>Key | Req? | <u>Rules</u>  |
| P54                            | 1                             | AIP Code   | Character        | 2                    |  | Y                 | Y    | AIP Code must be valid; edit with the AIP ICE,<br>"D00100".   |
| P54                            | 2                             | Reinsurance Year   | Numeric          | 4                    | CCYY   | Y                 | Y    | Reinsurance Year must equal "2023".   |
| P54                            | 3                             | Record Type Code   | Character        | 6                    |  |                   |      | Record Type Code must equal "P54".  |
| P54                            | 4                             | AIP Employee Key   | Character        | 15                   |  |                   | Y    | AIP Employee Key must be unique within the submitted P54 records.   |
| P54                            | 5                             | Employee SSN   | Character        | 9                    |  | Y                 | Y    | Employee SSN must be valid; edit with the SSN table.  |
|                                |                               |  |                  |                      |  |                   |      | Employee SSN must be exactly 9 characters in length.  |
|                                |                               |  |                  |                      |  |                   |      | Employee SSN must contain only numeric characters.  |
| P54                            | 6                             | Employee Type Code   | Character        | 1                    |  | Y                 |      | Employee Type Code must be valid; edit with the Employee Type ICE, "D00103".  |
| P54                            | 7                             | Last Name  | Character        | 25                   |  |                   | Y    | Last Name must include at least two characters.   |
|                                |                               |  |                  |                      |  |                   |      | Last Name must contain alpha characters and can include the following special characters: (-), (.), (), (), ('), (,).   |
| P54                            | 8                             | First Name   | Character        | 20                   |  |                   | Y    | First Name must contain alpha characters and can include the following special characters: (-), (.), (), ('), ('), (,). |

|                         |                 |                  | Ар              | olication Source:<br>File Group:<br>Record Name:<br>Record Code: | Employee<br>P54  |                      | _             | surance           | ersion:     | 2023<br>Approved   |
|-------------------------|-----------------|------------------|-----------------|--|------------------|----------------------|---------------|-------------------|-------------|--|
| <u>Record</u><br>Number | Ontbrit<br>Numk |                  | Field Nam       | <u>e</u>   | <u>Data Type</u> | <u>Max</u><br>Length | <u>Format</u> | <u>BUS</u><br>Key | <u>Req?</u> | Rules  |
| P54                     | 9               | N                | /iddle Name     |  | Character        | 20                   |               |                   |             | Middle Name must contain alpha characters and can include the following special characters: (-), (.), (), ('), (.).  |
| P54                     | 10              | ) S              | uffix           |  | Character        | 10                   |               |                   |             | Suffix must contain alpha characters and can include the following special characters: (-), (.), ( ), ('), ().   |
| P54                     | 11              | LT               | itle            |  | Character        | 15                   |               |                   |             | Title must contain alpha characters and can include the following special characters: (-), (.), ( ), ('), ().  |
| P54                     | 12              | 2 S <sup>-</sup> | treet 1 Address |  | Character        | 65                   |               |                   |             | Street 1 Address must contain alpha numeric characters and can include the following special characters: (), (-), (,), (.), ('), (&), (%), (#), (/).               |
|                         |                 |                  |                 |  |                  |                      |               |                   |             | Street 1 Address must be empty when<br>International Country Code is populated.<br>Street 1 Address must be populated when   |
|                         |                 |                  |                 |  |                  |                      |               |                   |             | International Country Code is empty.   |
| P54                     | 13              | 8 S <sup>.</sup> | treet 2 Address |  | Character        | 35                   |               |                   |             | Street 2 Address must contain alpha numeric<br>characters and can include the following special<br>characters:<br>(), (-), (,), (.), ('), (&), (%), (#), (/).      |
|                         |                 |                  |                 |  |                  |                      |               |                   |             | Street 2 Address must be empty when<br>International Country Code is populated.<br>Street 2 Address must be populated when<br>International Country Code is empty. |

|                         |                               | Record             | Group:    |                      | _             | surance           | ersion:     | Approved   |
|-------------------------|-------------------------------|--------------------|-----------|----------------------|---------------|-------------------|-------------|--|
| <u>Record</u><br>Number | <u>Field</u><br><u>Number</u> | r Field Name       | Data Type | <u>Max</u><br>Length | <u>Format</u> | <u>BUS</u><br>Key | <u>Req?</u> | Rules  |
| P54                     | 14                            | City Name          | Character | 35                   |               |                   | Y           | City Name must be valid for the Zip Code and<br>State Abbreviation when the International<br>Country Code is empty, edit with the Zip Code<br>table. |
| P54                     | 15                            | State Abbreviation | Character | 2                    |               |                   |             | State Abbreviation must be valid for the Zip Code submitted when the International Country Code is empty; edit with the Zip Code table.              |
|                         |                               |                    |           |                      |               |                   |             | State Abbreviation must be populated when International Country Code is empty.   |
|                         |                               |                    |           |                      |               |                   |             | State Abbreviation must be empty when International Country Code is populated.   |
| P54                     | 16                            | Zip Code           | Character | 5                    |               |                   |             | Zip Code must be valid for the State Abbreviation submitted; edit with the Zip Code table.   |
|                         |                               |                    |           |                      |               |                   |             | Zip Code is required when International Country<br>Code is not empty.  |
| P54                     | 17                            | Zip Extension Code | Character | 4                    |               |                   |             | Zip Extension Code must be valid for the Zip Code submitted; edit with the Zip Code table, otherwise empty.  |
|                         |                               |                    |           |                      |               |                   |             | Zip Extension Code must be empty or exactly 4 characters in length.  |
|                         |                               |                    |           |                      |               |                   |             | Zip Extension Code must be empty or exactly 4 characters in length.  |

|                  |                        | Application Source:<br>File Group:<br>Record Name:<br>Record Code: | Employee<br>P54  |                      |               | surance           | ersion:     | 2023<br>Approved  |
|------------------|------------------------|--|------------------|----------------------|---------------|-------------------|-------------|---|
| Record<br>Number | <u>Field</u><br>Number | Field Name   | <u>Data Type</u> | <u>Max</u><br>Length | <u>Format</u> | <u>BUS</u><br>Key | <u>Req?</u> | Rules   |
| P54              | 18                     | International Address  | Character        | 65                   |               |                   |             | International Address is required when<br>International Country Code is populated.  |
|                  |                        |  |                  |                      |               |                   |             | International Address must be empty when<br>International Country Code is empty.  |
| P54              | 19                     | International Country Code   | Character        | 2                    |               |                   |             | International Country Code must be valid; edit with International Phone Country ICE, "D00108".                                  |
|                  |                        |  |                  |                      |               |                   |             | International Country Code must be empty when<br>State Abbreviation is populated.   |
| P54              | 20                     | International Phone Country Code                                   | Character        | 3                    |               |                   |             | International Phone Country Code must be valid;<br>edit with the International Phone Country Code<br>ICE, "D00108".             |
| P54              | 21                     | COI Questionnaire Completion Date                                  | Date             | 8                    | CCYYMMDD      |                   | Y           | COI Questionnaire Completion Date must be<br>between April 1st (Reinsurance Year minus 1<br>year) and Batch Received Date.      |
| P54              | 22                     | COI Questionnaire Amended Date                                     | Date             | 8                    | CCYYMMDD      |                   |             | COI Questionnaire Amended Date must equal the date the COI Questionnaire was amended.   |
|                  |                        |  |                  |                      |               |                   |             | COI Questionnaire Amended Date can not be greater than the Batch Received Date.   |
| P54              | 23                     | COI Response Carryover Flag  | Character        | 1                    |               |                   |             | COI Response Carryover Flag must equal Yes, "Y" when the response is carried forward from the previous year, otherwise No, "N". |
| P54              | 24                     | COI Question 1 Response Flag                                       | Character        | 1                    |               |                   | Y           | COI Question "1" Response Flag must equal Yes,<br>"Y" or No, "N".   |

|                                |                               | Application Source:<br>File Group:<br>Record Name:<br>Record Code: | Employee<br>P54  |                      | _             | surance           | ersion:     | 2023<br>Approved   |
|--------------------------------|-------------------------------|--|------------------|----------------------|---------------|-------------------|-------------|--|
| <u>Record</u><br><u>Number</u> | <u>Field</u><br><u>Number</u> | Field Name   | <u>Data Type</u> | <u>Max</u><br>Length | <u>Format</u> | <u>BUS</u><br>Key | <u>Req?</u> | Rules  |
| P54                            | 25                            | COI Question 2 Response Flag                                       | Character        | 1                    |               |                   | Y           | COI Question "2" Response Flag must equal Yes,<br>"Y" or No, "N".  |
| P54                            | 26                            | COI Question 3 Response Flag                                       | Character        | 1                    |               |                   | Y           | COI Question "3" Response Flag must equal Yes,<br>"Y" or No, "N".  |
| P54                            | 27                            | COI Question 4 Response Flag                                       | Character        | 1                    |               |                   | Y           | COI Question "4" Response Flag must equal Yes,<br>"Y" or No, "N".  |
| P54                            | 28                            | COI Question 5 Response Flag                                       | Character        | 1                    |               |                   | Y           | COI Question "5" Response Flag must equal Yes,<br>"Y" or No, "N".  |
| P54                            | 29                            | COI Question 6 Response Flag                                       | Character        | 1                    |               |                   | Y           | COI Question "6" Response Flag must equal Yes,<br>"Y" or No, "N".  |
| P54                            | 30                            | COI Question 7 Response Flag                                       | Character        | 1                    |               |                   | Y           | COI Question "7" Response Flag must equal Yes,<br>"Y" or No, "N".  |
| P54                            | 31                            | COI Question 8 Response Flag                                       | Character        | 1                    |               |                   | Y           | COI Question "8" Response Flag must equal Yes,<br>"Y" or No, "N".  |
| P54                            | 32                            | COI Question 9 Response Flag                                       | Character        | 1                    |               |                   | Y           | COI Question "9" Response Flag must equal Yes,<br>"Y" or No, "N".  |
| P54                            | 33                            | COI Question 10 Response Flag                                      | Character        | 1                    |               |                   | Y           | COI Question "10" Response Flag must equal Yes,<br>"Y" or No, "N".   |
| P54                            | 34                            | COI Question 11 Response Flag                                      | Character        | 1                    |               |                   | Y           | COI Question "11" Response Flag must equal Yes,<br>"Y" or No, "N".   |
| P54                            | * 35                          | Initial Accepted Batch Number                                      | Numeric          | 5                    | 99999         |                   |             | Initial Accepted Batch Number is the original sequence number assigned when this record was first received at RMA. |

|                         |        |                        | Application S<br>File (<br>Record<br>Record | <b>Group:</b><br>Name: Emplo | yee  |                      |                          | uranco<br>Vo      | e Type:<br>e Year:<br>ersion:<br>e Date: | 2023<br>Approved  |
|-------------------------|--------|------------------------|---|------------------------------|------|----------------------|--------------------------|-------------------|--|---|
| <u>Record</u><br>Number | Output | <u>Field</u><br>Number | Field Name                                  | <u>Data T</u>                | ype  | <u>Max</u><br>Length | <u>Format</u>            | <u>BUS</u><br>Key | <u>Req?</u>                              | <u>Rules</u>  |
| P54                     | *      | 36                     | Initial Accepted Date                       | Date/T                       | Time | 21                   | CCYYMMDD<br>hh:mm:ss.fff |                   |  | Initial Accepted Date is the original date assigned when this record was first received at RMA.   |
| P54                     | *      | 37                     | Batch Received Date                         | Date/T                       | Time | 21                   | CCYYMMDD<br>hh:mm:ss.fff |                   |  | Batch Received Date is the date that the AIP file is received by RMA.   |
| P54                     | *      | 38                     | Batch Number                                | Nume                         | eric | 5                    | 99999                    |                   |  | Batch Number is a sequential number assigned when an AIP file is received.  |
| P54                     | *      | 39                     | Batch Record ID                             | Nume                         | eric | 15                   |                          |                   |  | Batch Record ID is a sequential number assigned<br>to each record in the AIP file by RMA during<br>processing. Batch Record ID is unique within the<br>record type for the batch. |
| P54                     | *      | 40                     | Process Result Code                         | Chara                        | cter | 1                    |                          |                   |  | Process Result Code equals the final result code<br>as determined by PASS processing, refer to the<br>Process Result ICE , "D00002".  |

|                  |               | Application Source:<br>File Group:<br>Record Name:<br>Record Code: | Employee<br>P54  |                      |               | surance           | rsion:      |   |
|------------------|---------------|--|------------------|----------------------|---------------|-------------------|-------------|---|
| Record Record Le | <u>Number</u> | Field Name   | <u>Data Type</u> | <u>Max</u><br>Length | <u>Format</u> | <u>BUS</u><br>Key | <u>Req?</u> | <u>Rules</u>  |
|                  | 1             |  |                  |                      |               |                   |             | An Employee "P54" record, must be reported to<br>RMA when the Employee's COI Question 1<br>Response Flag = 'Y' or COI Question 2 Response<br>Flag = 'Y'.        |
|                  | 2             |  |                  |                      |               |                   |             | When the Employee's COI Response Carryover<br>Flag = 'Y', COI Question Response Flag 1 - 11 must<br>contain the previous year's response.                       |
|                  | 3             |  |                  |                      |               |                   |             | An Employee "P54" data, will not appear in the<br>Policyholder Tracking System.   |
|                  | 4             |  |                  |                      |               |                   |             | The submission of an Employee "P54" record, to<br>the RMA for an existing Employee, will result in a<br>complete replacement of current Employee "P54"<br>data. |
|                  | 5             |  |                  |                      |               |                   |             | An Employee "P54" record, must be accepted<br>before a Conflict of Interest "P51" record, will be<br>accepted.  |
|                  | 6             |  |                  |                      |               |                   |             | The P54 record will not be processed when<br>processing has been suspended for this record<br>type per RMA directive.   |

|                      |                               | Application Source:<br>File Group:<br>Record Name:<br>Record Code: | Employee<br>P54  |                      |               | surance           | ersion: | 2023<br>Approved   |
|----------------------|-------------------------------|--|------------------|----------------------|---------------|-------------------|---------|--|
| Record <u>Number</u> | <u>Field</u><br><u>Number</u> | Field Name   | <u>Data Type</u> | <u>Max</u><br>Length | <u>Format</u> | <u>BUS</u><br>Key | Req?    | Rules  |
|                      | 7                             |  |                  |                      |               |                   |         | The P54 record must be unique in the batch for<br>the following business key: AIP Code,<br>Reinsurance Year, Employee SSN, Employee Type<br>Code.  |
|                      | 8                             |  |                  |                      |               |                   |         | The business key AIP Code, Reinsurance Year,<br>Employee SSN, Employee Type Code, must not<br>have been previously accepted for a different<br>record key (AIP Code, Reinsurance Year, AIP<br>Employee Key). |