		F	ation Source: File Group: Record Name: Land Record Code: P27				File Type: surance Year: Version: Release Date:	Draft
<u>Record</u> <u>Number</u>	Field Number	Field Name	Data	Type	<u>Max</u> Length	<u>Format</u>	<u>BUS</u> <u>Key Req?</u>	Rules
P27	1	AIP Code	Char	acter	2		Y	AIP Code must be valid; edit with the AIP ICE, "D00100".
P27	2	Reinsurance Year	Num	neric	4	CCYY	Y	Current Reinsurance Year.
P27	3	Record Type Code	Char	acter	6		Y	Record Type Code must be "P27".
P27	4	AIP Policy Producer Key	Char	acter	15		Y	AIP Policy Producer Key must match the parent primary Policy Producer, "P10" record.
P27	5	AIP Insurance in Force Key	Char	acter	15		Y	AIP Insurance In Force Key must match the primary Insurance in Force, "P14" record.
P27	6	AIP Acreage Key	Char	acter	15		Y	AIP Acreage Key is required when AIP Inventory Value Key is empty.
								AIP Acreage Key must be empty when AIP Inventory Value Key is populated.
								AIP Acreage Key is the value used to identify each Acreage, "P11" record and must be unique within the Reinsurance Year and the parent Insurance In Force, "P14" record.
P27	7	AIP Inventory Value Key	Char	acter	15		Y	AIP Inventory Value Key is required when AIP Acreage Key is empty.
								AIP Inventory Value Key must be empty when AIP Acreage Key is populated. AIP Inventory Value Key is the value used to identify each Inventory Value, "P13" record and must be unique within the Reinsurance Year and the parent Insurance In Force. "P14" record.
P27	8	AIP Land Key	Char	acter	15			AIP Land Key is the value used to identify each Land, "P27" record and must be unique within the Reinsurance Year and the parent Insurance In Force, "P14" record. (Note: For split land, the AIP Land Key must be reported once for each AIP Acreage Key).

			Application Source: File Group: Record Name: Record Code:	Land P27			isurance Ve	e Year: ersion:	
<u>Record</u> <u>Number</u>	Field <u>Numbe</u>	<u>r Fiel</u>	<u>d Name</u>	<u>Data Type</u>	<u>Max</u> Length	<u>Format</u>	<u>BUS</u> <u>Key</u>	<u>Req?</u>	Rules
P27	9	Reported Land Type	e Code	Character	1				Reported Land Type Code is required and must be valid; edit with the Reported Land Identifier Type ICE, "D00061".
									Reported Land Type Code must equal PRF, "P" when the Insurance Plan Code equals Rainfall Index, "13" except for PRF and Apiculture.
									Reported Land Type Code must equal "C" or "R" when the associated Acreage, "P11" record contains "NS" or "N8" in the Program Indicator Code List.
									Reported Land Type Codes "C", "F" or "R" are allowed for Insurance Plan Codes "31", "32", "33", "35", and "36".
P27	10	Land Identifier		Character	18				Land Identifier is required when Reported Land Type Code contains one of the following values, Legal, "L", Aquaculture, "A" or Other, "O", otherwise empty.
									Land Identifier format must equal "ssss-tttd-rrrd" where "s" equal Section, "t" equals Township, "r" equals Range and "d" equals Direction when the Land Identifier Type Code equals Legal Description, "L".
									Land Identifier must be valid when the Reported Land Type Code equals Legal Description, "L"; edit with the Legal Description ICE, "D00062".
									Land Identifier is required and must be a valid growing location such as lease, parcel, permit or license number when Reported Land Type Code equals Aquaculture, "A".

			R	ition Source: File Group: ecord Name: Record Code:	Land P27			surance Ve	Year: rsion:	
<u>Record</u> Number	Output	<u>Field</u> Number	<u>Field Name</u>		<u>Data Type</u>	<u>Max</u> Length	<u>Format</u>	<u>BUS</u> Key	<u>Req?</u>	Rules
										Land Identifier is required and must be a valid growing location when Reported Land Type Code equals Other, "O". Land Identifier must be empty when Reported Land Type Code is FSN, "F" or CLU, "C" or Annual Forage/PRF, "P".
P27		11	CLU ID		Character	36				CLU ID must match the value in the CLU Table.
										CLU ID must be empty when FSA Farm Number, FSA Tract Number and FSA Field Number are empty.
										A valid CLU ID is required and the Reported Land Type Code must equal "C" when the associated Acreage, "P11" record contains "NS" in the Program Indicator Code List.
P27		12	FSA Farm Number		Character	7				FSA Farm Number must be populated when Reported Land Type Code equal FSN, "F", CLU, "C" or Annual Forage/PRF, "P".
										FSA Farm Number is required when the Insurance Plan Code equals Rainfall Index, "13" except when Commodity Code equals Apiculture, "1191".
										FSA Farm Number must not be found; edit with the ICE ARC Election table when Non Premium Acreage Code is not equal to 'J' and Insurance Plan Code is one of the following values: '31', '32', '33'.

		Application So File Gr Record N Record C	r <b>oup:</b> ame: Land		-	File Type: surance Year: Version: Release Date:	2025
<u>Record</u> <u>Number</u>	<u>Field</u> <u>Number</u>	Field Name	<u>Data Type</u>	<u>Max</u> Length	<u>Format</u>	<u>BUS</u> <u>Key</u> <u>Req?</u>	Rules
							FSA Farm Number must be valid; edit with the ICE ARC Election table when Non Premium Acreage Code is 'J' and Insurance Plan Code is one of the following values: '31', '32', '33'.
P27	13	FSA Tract Number	Character	7			FSA Tract number must be populated when Reported Land Type Code equal CLU, "C" or Annual Forage/PRF, "P".
							FSA Tract Number is required when the Insurance Plan Code equals Rainfall Index, "13" except when Commodity Code equals Apiculture, "1191".
P27	14	FSA Field Number	Character	7			FSA Field Number must be populated when Reported Land Type Code equal CLU, "C" or Annual Forage/PRF, "P".
							FSA Field Number is required when the Insurance Plan Code equals Rainfall Index, "13" except when Commodity Code equals Apiculture, "1191".
P27	15	FSA Sub Field Identifier	Character	3			FSA Sub Field Identifier when submitted must contain only alphanumeric or numeric characters when Reported Land Type Code equals CLU, "C".
P27	16	FSA Intended Use	Character	2			FSA Intended Use must be valid for the commodity being grown and produced; edit with the FSA Intended Use ICE, "D00111".
P27	17	FSA Administrative State Code	Character	2		Y	FSA Administrative State Code is required when the FSA Administrative State does not equal the Location State Code and the Reported Land Type Code equal FSN, "F" or CLU, "C".

			Application Source: File Group: Record Name: Record Code:	Land P27			surance Ve	ersion:	2025
<u>Record</u> <u>Number</u>	Output N	Field umber	Field Name	<u>Data Type</u>	<u>Max</u> Length	<u>Format</u>	<u>BUS</u> Key	<u>Req?</u>	Rules
									FSA Administrative State Code is Required when FSA Administrative County Code exists.
									FSA Administrative State Code must be empty when Reported Land Type Code does not equal, CLU, "C", PRF, "P" or FSN, "F".
									FSA Administrative State Code must be empty when FSA Administrative County Code is empty.
P27		18	FSA Administrative County Code	Character	3			Y	FSA Administrative County Code is required when the FSA Administrative County does not equal the Location County Code and the Reported Land Type Code equal FSN, "F" or CLU, "C".
									FSA Administrative County Code must be empty when Reported Land Type Code does not equal, CLU, "C", Annual Forage/PRF, "P" or FSN, "F".
									FSA Administrative County Code is required when the FSA Administrative State Code exists.
P27		19	CLU Determination Code	Character	1				CLU Determination Code must be valid; edit with the CLU Determination ICE, "D00122". CLU Determination Code must be empty when Reported Land Type Code does not equal CLU, "C" or Annual Forage/PRF, "P"

		Appl	lication Source: File Group: Record Name: Record Code:	Land P27			surance Ve	Year: rsion:	
<u>Record</u> Number	Ontput <u>Field</u> <u>Numbe</u>	Field Name		<u>Data Type</u>	<u>Max</u> Length	<u>Format</u>	<u>BUS</u> Key	<u>Req?</u>	Rules
P27	20	CIMS CLU Release Date		Date	6	MMYYYY			When the CIMS CLU Release is populated, the CLU ID must be valid and the date must use a CimsAsOfDate within June 1st of the Prior Reinsurance Year (06/01/Prior RY) through December 1st of the Current Reinsurance Year (12/01/Current RY).
P27	21	Latitude		Character	10				Latitude is required when Reported Land Type Code equals Aquaculture, "A", and for Apiculture (1191) and PRF (0088).
									Latitude format must equal "DDDXMM.ddd" where "DDD" equal the Degrees, "X" equal Direction, "MM" equals the Minutes and "ddd" equals the decimal minutes rounded to three positions or "DDDMMddd" where "DDD" equals the Degrees, "MM" equals the Minutes and "ddd" equals the decimal minutes rounded to three positions.
									For PRF and Apiculture, Latitude may be submitted in the decimal degree format. "DDD.xxxxx." For the decimal degree format, do not submit negative values or the degree symbol.
									Latitude must be empty when Insurance Plan Code equals Rainfall Index, "13" or Vegetation Index, "14" except for PRF and Apiculture.
P27	22	Longitude		Character	10				Longitude is required when Reported Land Type Code equals Aquaculture, "A", and for Apiculture (1191) and PRF (0088).

	Application Source:				File Typ	e: Delimited
1	File Group:			Dain	surance Yea	
	Record Name:	Land		Nem	Versio	
	Record Code:	P27				
	Record Code:	P27			Release Dat	e: 12/26/2024
Record Field			Max		BUS	
Number Number	Field Name	Data Type	Length	Format	Key Red	? Rules
	<u></u>	<u></u>	<u>8</u>	<u> </u>	<u></u>	
						Longitude format must equal "DDDXMM.ddd" where "DDD" equal the Degrees, "X" equals Direction, "MM" equals the Minutes and "ddd" equals the decimal minutes rounded to three positions or "DDDMMddd" where "DDD" equals the Degrees, "MM" equals the Minutes and "ddd" equals the decimal minutes rounded to three positions.
						For PRF and Apiculture, Longitude may be submitted in the decimal degree format. "DDD.xxxxx." For the decimal degree format, do not submit negative values or the degree symbol.
						Longitude must be empty when Insurance Plan Code equals Rainfall Index, "13" except for PRF and Apiculture.

			Application Source: File Group: Record Name: Record Code:	Land P27			urance Ve	Year:	
<u>Record</u> <u>Number</u>	Output <u>Numk</u>	<u>i</u> er <u>Fi</u> e	eld Name	<u>Data Type</u>	<u>Max</u> Length	<u>Format</u>	<u>BUS</u> Key	<u>Req?</u>	Rules
P27	23	Reported Acreage	2	Numeric	10	9999999.99			Reported Acreage must be empty when Reported Land Type Code does not equal CLU, "C", PRF, "P" or AIP RLU, "R". Reported Acreage must equal the planted or insured acreage for the Land Identifier and the Commodity Code. The sum of the Reported Acreage must be within the greater of three acres from the corresponding Acreage, "P11" Reported Acres or within 1% when comparing the Reported Acreage on the Acreage, "P11" record to the sum of the Reported Acreage on the Land, "P27" record(s). If the tolerance is exceeded the Land, "P27" record will be rejected.
									For PRF, the Reported Acreage on the P27 records must be equal to or greater than the Reported Acreage of its associated P11, Acreage record
									Reported Acreage is required when Insurance Plan Code is one of the following values: "31", "32", "33" and Reported Land Type Code is "C", "F" or "R".
									Reported Acreage is required when Non Premium Acreage Code is empty and Commodity Code equals Annual Forage, "0332".
P27	24	Actual Planted Da	te	Date	8	YYYYMMDD			Actual Planted Date must be a valid year and date within the planting period for the Commodity when planted on the acreage covered by this land record.

			Application Source: File Group: Record Name: Record Code:	Land P27			surance Yea Versio	
<u>Record</u> Number	Output	<u>Field</u> Number	Field Name	<u>Data Type</u>	<u>Max</u> Length	<u>Format</u>	<u>BUS</u> <u>Key</u> <u>Rec</u>	<u>Rules</u>
								Actual Planted Date must be less than or equal to the Planted Date on the Acreage, "P11" record.
								For Annual Forage, the Actual Planted Date must be NULL on the P11. The Actual Planted Date is required on the P11A, Acreage Detail record. The Planted Date must not be greater than the Batch Received Date and must fall on or after Sales Closing Date and on or before the Final Planting Date.
P27		25	FSA RMA Acreage Difference Code	Character	2			FSA RMA Acreage Difference Code must be valid; edit with the FSA RMA CLU Difference ICE, "D00113".
P27		26	Acreage Type Code	Character	1			Acreage Type Code must be valid; edit with the Acreage Type ICE, "D00142" record when the Acreage Type Code exists otherwise, empty.
P27		27	RLU ID	Character	10			RLU ID must match the value in the RLU Table or a warning will be issued.
P27		28	Section Equivalent ID	Character	13			Section Equivalent ID must be valid; edit with ICE Section Equivalent, D00187; Section Equivalent ID must use format XX-XXXXXXX-XX.
								Required when parent P11 contains "UG" in Insurance Option Code List; otherwise empty.
P27	*	29	Valid CLU ID	Character	36			Valid CLU ID is the value returned from the CLU Table.

			Application Source: File Group: Record Name: Record Code:	Land P27		Reinst Re	urance	rsion:	2025 Draft
<u>Record</u> Number	Output	<u>Field</u> Number	Field Name	<u>Data Type</u>	<u>Max</u> Length	<u>Format</u>	<u>BUS</u> Key	<u>Req?</u>	Rules
									High Risk Land Code is set to High Risk, "V" when Mapped Legal Description Status Code equals partial, "P" or Mapped CLU Status Code equals partial, "P".
P27	*	30	Valid RLU ID	Character	10				Valid RLU ID is the value returned from the RLU Table.
P27	*	31	Initial Accepted Batch Number	Numeric	5				Initial Accepted Batch Number is the original sequence number assigned when this record was first received at RMA.
P27	*	32	Initial Accepted Date	Date/Time	21	CCYYMMDD hh:mm:ss.fff			Initial Accepted Date is the original date assigned when this record was first received at RMA.
P27	*	33	Batch Received Date	Date/Time	21	CCYYMMDD hh:mm:ss.fff			Batch Received Date is the date that the AIP file is received by RMA.
P27	*	34	Batch Number	Numeric	5				Batch Number is a sequential number assigned when an AIP file is received.
P27	*	35	Batch Record ID	Numeric	15				Batch Record ID is a sequential number assigned to each record in the AIP file by RMA during processing. Batch Record ID is unique within the record type for the batch.

	ut	e:		cation Source: File Group: Record Name: Record Code:	Land P27		Rei	nsurance Ve Release	e Year: ersion: e Date:	Draft
<u>Record</u> <u>Number</u>	Output	<u>Field</u> Number	Field Name		<u>Data Type</u>	<u>Max</u> Length	<u>Format</u>	<u>BUS</u> <u>Key</u>	Req?	Rules
P27	*	36	Process Result Code		Character	1				Process Result Code equals the final result code as determined by PASS processing, refer to the Process Result ICE, "D00002" for values.
Record	Lev	vel Rul	es							
		1								The Land, "P27" record must be unique in the batch using the following key: AIP Code, Reinsurance Year, AIP Policy Producer Key, AIP Insurance In Force Key, AIP Land Key.
		2								Land, "P27" records will not be accepted when processing has been suspended for this record type.
		3								The following child records must be accepted in the batch for the Land, "P27" record to be accepted: Land Other Person Sharing, "P27A".
		4								A Land, "P27" record must not be submitted when the Submission Indicator Code in the Land Requirement ICE, "D00116" equals not allowed, "N" for a specific Commodity Code; edit with the Land Requirement ICE, "D00116".
		5								A Land, "P27" record must be submitted when the Submission Indicator Code in the Land Requirement ICE, "D00116" equals required, "R" for a specific Commodity Code; edit with the Land Requirement ICE, "D00116".
		6								Land ID Type Code must be empty when FSA Farm Serial Number, FSA Tract Number and FSA Field Number is not empty.

	Application Source: File Group: Record Name: Record Code:	Land P27			surance Year: Version:	
Record of <u>Field</u> Number O <u>Number</u>	Field Name	<u>Data Type</u>	<u>Max</u> Length	<u>Format</u>	<u>BUS</u> <u>Key</u> <u>Req</u> ?	Rules
7						CLU ID must be empty if Land Identifier Type Code is not empty. FSA Farm Number, FSA Tract Number and FSA Field Number must be a valid FSA Farm Number, FSA Tract Number and FSA Field Number; edit with the CLU table.
9						The corresponding P11 records must be free of errors for this record to be accepted.
10						All Land, "P27" records with Commodity Codes equal to PRF, "0088" and Annual Forage, "0332" must be submitted as linked to only one of the intervals under a certain Grid ID by AIP Acreage Key and Insured Share Percent.
11						The sum of Reported Acres must be greater than or equal to the Total Insured Acreage from the corresponding Acreage, "P11" record when the Reported Land Type Code equals "P" except when Commodity Code equals Annual Forage, "0332".
12						CLU ID is required and must be found in ADM Land Description, A00040, for the given offer when the parent Acreage, P11, record is for a Written Agreement and the WA's Land Level Code is CLU. CLU ID must be empty for WA records if Land Level Code is not CLU. The Reported Acreage must be less than Maximum Allowed Acreage from the A00040 record.

		Application Source: File Group: Record Name: Record Code:	Land P27			surance Year: Version:	
Record Ind Number O	<u>Field</u> <u>Number</u>	Field Name	<u>Data Type</u>	<u>Max</u> Length	<u>Format</u>	<u>BUS</u> Key <u>Req?</u>	Rules
	13						FSA Farm Number and FSA Tract Number are required and must be found in ADM Land Description, A00040, for the given offer when the parent Acreage, P11, record is for a Written Agreement and the WA's Land Level Code is NCL or FSU. FSA Farm Number and FSA Tract Number must be empty for WA records if Land Level Code is not NCL or FSU. The Reported Acreage must be less than Maximum Allowed Acreage from the A00040 record.
	14						FSA Field Number is required and must be found in ADM Land Description, A00040, for the given offer when the parent Acreage, P11, record is for a Written Agreement and the WA's Land Level Code is NCL. FSA Field Number must be empty for WA records if Land Level Code is not NCL. The Reported Acreage must be less than Maximum Allowed Acreage from the A00040 record.
	15						Land Identifier is required and must be found in ADM Land Description, A00040, for the given offer when the parent Acreage, P11, record is for a Written Agreement and the WA's Land Level Code is SEC. Land Identifier must be empty for WA records if Land Level Code is not SEC. The Reported Acreage must be less than Maximum Allowed Acreage from the A00040 record.

Record a Field Number Number	Application Source: File Group: Record Name: Record Code: <u>Field Name</u>	Land P27 Data Type	<u>Max</u> Length	surance Ve Release <u>BUS</u>	ersion: Date:	2025
16						Sub County Code from the parent P11 must be found in ADM Land Description, A00040, for the given offer when the parent Acreage, P11, record is for a Written Agreement and the WA's Land Level Code is SUB.
17						No validation is performed against ADM Land Description, A00040, for the given offer when the parent Acreage, P11, record is for a Written Agreement and the WA's Land Level Code is DES.
18						A record must not exist in ADM Land Description, A00040, for the given offer when the parent Acreage, P11, record is for a Written Agreement and the WA's Land Level Code is CTY.
19						When Commodity Code equals Annual Forage, "0332" and the Land, "P27" records are in Growing Seasons 1, 2, or 3, then another P27 record cannot exist in the next Growing Season with the same following values: Reinsurance Year, Location State Code, Location County Code, FSA Farm Number, FSA Tract Number, FSA Field Number.

Record Field Number O Number	Application Source: File Group: Record Name: Record Code: <u>Field Name</u>	Land P27 Data Type	<u>Max</u> Length	nsurance Year Version	Draft 12/26/2024
20					When Commodity Code equals Annual Forage, "0332" and the Land, "P27" records are in Growing Seasons 2, 3, or 4, then another P27 record cannot exist in the previous Growing Season with the same following values: Reinsurance Year, Location State Code, Location County Code, FSA Farm Number, FSA Tract Number, FSA Field Number.
21					When Commodity Code equals Annual Forage, "0332" and the Land, "P27" records are in Growing Season 1, then another P27 record cannot exist in the previous Growing Season with the same following values: Reinsurance Year - 1, Location State Code, Location County Code, FSA Farm Number, FSA Tract Number, FSA Field Number.
22					When Commodity Code equals Annual Forage, "0332" and the Land, "P27" records are in Growing Season 4, then another P27 record cannot exist in the next Growing Season with the same following values: Reinsurance Year + 1, Location State Code, Location County Code, FSA Farm Number, FSA Tract Number, FSA Field Number.

	Application Source: File Group: Record Name: Land Record Code: P27				surance Year: Version:	
Record and Field Number O Number	<u>Field Name</u>	<u>Data Type</u>	<u>Max</u> Length	<u>Format</u>	<u>BUS</u> <u>Key Req?</u>	Rules
23						When Commodity Code equals Annual Forage, "0332" and the Land, "P27" records are in Growing Seasons 1, 2, or 3, then another P27 record cannot exist in the next Growing Season with the same following values: Reinsurance Year + 1, Location State Code, Location County Code, FSA Farm Number, FSA Tract Number, FSA Field Number.