	Application Source File Group Record Name Record Code			oss	_	surance Ve	Year:	Delimited 2026 Comment 3/13/2025
<u>Record</u> <u>Number</u>	<u>Field</u> Number	Field Name	<u>Data Type</u>	<u>Max</u> Length	<u>Format</u>	<u>BUS</u> Key	<u>Req?</u>	Rules
P58	1	AIP Code	Character	2		Y	Y	AIP Code must be valid; edit with the AIP ICE, "D00100".
P58	2	Reinsurance Year	Numeric	4	CCYY	Y	Y	Current Reinsurance Year.
P58	3	Record Type Code	Character	6			Y	Record Type Code must be "P58".
P58	4	AIP Notice of Loss Key	Character	15			Y	AIP Notice of Loss Key is the value used to identify each Notice of Loss, "P58" record and must be unique within the Reinsurance Year and the AIP Claim Key.
P58	5	Policy Number	Character	7		Y	Y	Policy Number format must be 7 numbers with leading zeros.
P58	6	PIC Code	Character	3		Y	Y	PIC Code must be valid; edit with Plan of Ops/AIP Company table.
P58	7	Location State Code	Character	2		Y	Y	Location State Code must be valid; edit with the State ADM, "A00520".
								Location State Code must be valid for the AIP Code; edit with Plan of Ops/AIP Company table.
P58	8	Location County Code	Character	3		Y	Y	Location County Code must be valid; edit with the County ADM, "A00440".
								Location County Code must be valid for the Commodity Year/Commodity Code/Location State Code/Insurance Plan Code; edit with the Insurance Offer ADM, "A00030".
P58	9	Insurance Plan Code	Character	2		Y	Y	Insurance Plan Code must be valid; edit with the Insurance Plan ADM, "A00460".

		Application Source: File Group: Record Name: Record Code:		Reinsurance Year: Notice of Loss Version:			Comment	
<u>Record</u> <u>Number</u>	<u>Field</u> <u>Number</u>	Field Name	<u>Data Type</u>	<u>Max</u> Length	<u>Format</u>	<u>BUS</u> Key	Req?	Rules
								Insurance Plan Code must be valid for the Commodity Year/Commodity Code/Location State Code/Location County Code; edit with the Insurance Offer ADM, "A00030".
								Insurance Plan Code must not equal "76", "81" or "82".
P58	10	Commodity Code	Character	4		Y	Y	Commodity Code must be valid; edit with the Commodity ADM, "A00420".
								Commodity Code must be valid for the Commodity Year/Insurance Plan Code/Location State Code/Location County Code; edit with the Insurance Offer ADM, "A00030".
P58	11	Commodity Year	Numeric	4	ССҮҮ		Y	Commodity Year must be valid for the Insurance Plan Code/Commodity Code/Location State Code/Location County Code; edit with the Insurance Offer ADM, "A00030".
P58	12	Type Code	Character	3		Y	Y	Type Code is required when Commodity Code equals Nursery, "0073", NVS "1010", Controlled Enviroment "1020" or when there is more than one Sales Closing Date per Type Code and must be a valid type code; edit with the Type ADM, "A00540".

		Application Source: File Group: Record Name: Record Code:				2026 Comment		
<u>Record</u> Number	<u>Field</u> Number	Field Name	<u>Data Type</u>	<u>Max</u> Length	<u>Format</u>	<u>BUS</u> Key	Req?	Rules
								Type Code is required when Commodity Code equals Table Grapes, "0052", Grapes, "0053" with a Location State Code equal to Arizona, "04" or California, "06" or the Commodity Code equals Tangerine Trees, "0193", Orange Trees, "0207" or Grapefruit Trees, "0208".
P58	13	Practice Code	Character	3		Y	Y	Practice Code is required when Commodity Code equals Grapes, ("0052", "0053") or Nursery, "0073", NVS "1010", or Controlled Enviroment "1020" and must be a valid practice code; edit with the Practice ADM, "A00510".
P58	14	Commodity Type Code	Character	3				Commodity Type Code must be valid; edit with the Commodity Type ADM, "A00430". When Commodity Type Code is not valid and Type Practice Use Code equals Implemented, "I", record will be rejected, otherwise record will be accepted with a warning.
P58	15	Class Code	Character	3				Class Code must be valid; edit with the Class ADM, "A00410". When Class Code is not valid and Type Practice Use Code equals Implemented, "I", record will be rejected, otherwise record will be accepted with a warning.

		Application Source: File Group: Record Name: Record Code:		oss		surance Year:	Comment
<u>Record</u> Number	<u>Field</u> Number	Field Name	<u>Data Type</u>	<u>Max</u> Length	<u>Format</u>	<u>BUS</u> Key <u>Req</u> ?	Rules
P58	16	Sub Class Code	Character	3			Sub Class Code must be valid; edit with the Sub Class ADM, "A00530". When Sub Class Code is not valid and Type Practice Use Code equals Implemented, "I", record will be rejected, otherwise record will be accepted with a warning.
P58	17	Intended Use Code	Character	3			Intended Use Code must be valid; edit with the Intended Use ADM, "A00470". When Intended Use Code is not valid and Type Practice Use Code equals Implemented, "I", record will be rejected, otherwise record will be accepted with a warning.
P58	18	Irrigation Practice Code	Character	3			Irrigation Practice Code must be valid; edit with the Irrigation Practice ADM, "A00490". When Irrigation Practice Code is not valid and Type Practice Use Code equals Implemented, "I", record will be rejected, otherwise record will be accepted with a warning.
P58	19	Cropping Practice Code	Character	3			Cropping Practice Code must be valid; edit with the Cropping Practice ADM, "A00450". When Cropping Practice Code is not valid and Type Practice Use Code equals Implemented, "I", record will be rejected, otherwise record will be accepted with a warning.

		Application Source: File Group: Record Name: Record Code:	Notice of Lo P58	oss		surance Year:	Comment
<u>Record</u> <u>Number</u>	<u>Field</u> <u>Number</u>	Field Name	<u>Data Type</u>	<u>Max</u> Length	<u>Format</u>	<u>BUS</u> <u>Key</u> <u>Req</u> ?	Rules
P58	20	Organic Practice Code	Character	3			Organic Practice Code must be valid; edit with the Organic Practice ADM, "A00500". When Organic Practice Code is not valid and Type Practice Use Code equals Implemented, "I", record will be rejected, otherwise record will be accepted with a warning.
P58	21	Interval Code	Character	3			Interval Code must be valid; edit with the Interval ADM, "A00480". When Interval Code is not valid and Type Practice Use Code equals Implemented, "I", record will be rejected, otherwise record will be accepted with a warning.
P58	22	Notice Type Code	Character	2		Y	Notice Type Code must be valid; edit with the Notice Type ICE, "D00081".
							Notice Type Code must not exist in the Notice Type Exclusion ICE "D00032" record when Commodity Code equals Sugar Beets, "0039".

		Application Source: File Group: Record Name: Record Code:	Notice of Lo P58	DSS		urance Ve	Year: rsion:	Delimited 2026 Comment 3/13/2025
<u>Record</u> Number	<u>Field</u> <u>Number</u>	Field Name	<u>Data Type</u>	<u>Max</u> Length	<u>Format</u>	<u>BUS</u> <u>Key</u>	<u>Req?</u>	Rules
Р58	23	Producer Damage Cause Code List	Character	8			Y	Producer Damage Cause Code List must be valid for the insured Commodity Code except when the Insurance Plan Code equals Area Yield Protection "04", Area Revenue Protection "05", Area Revenue Protection with Harvest Price Exclusion "06", Rainfall Index "13", Vegetation Index "14", SCO Yield Protection "31", SCO Revenue Protection "32", SCO Revenue Protection with Harvest Price Exclusion "33", STAX Revenue Protection "35", or STAX Revenue Protection with Harvest Price Exclusion "36"; edit with the Damage Cause Commodity ICE, "D00077".
P58	24	Damage Date	Date	8	CCYYMMDD			Damage Date must be greater than the Sales Closing Date of the prior Reinsurance Year and less than the latest End of the Insurance Date from the Date ADM "A00200" when the Commodity Code does not equal Cherries, "0057" or Strawberries, "0154", or the Insurance Plan Code does not equal "02" or "03", or the Insurance Plan Code equals "02" or "03" and the Producer Damage Cause Code List does not contain "01" (Decline in Price).

		Application Source: File Group: Record Name: Record Code:	Notice of L	DSS		urance Year:	Comment
<u>Record</u> <u>Number</u>	<u>Field</u> Number	Field Name	<u>Data Type</u>	<u>Max</u> Length	<u>Format</u>	<u>BUS</u> <u>Key</u> <u>Req</u> ?	Rules
							Damage Date must be empty when the Insurance Plan Code equals Area Yield Protection "04", Area Revenue Protection "05", Area Revenue Protection with Harvest Price Exclusion "06", Rainfall Index "13", Vegetation Index "14", SCO Yield Protection "31", SCO Revenue Protection "32", SCo Revenue Protection with Harvest Price Exclusion "33", STAX Revenue Protection "35", or STAX Revenue Protection with Harvest Price Exclusion "36".
							Damage Date must be greater than the Sales Closing Date of the prior Reinsurance Year and less than the Harvest Price Release Date of December 15th (Reinsurance Year) plus 45 days when the Insurance Plan Code equals "02" or "03" and the Producer Damage Cause Code List contains "01" (Decline in Price).
P58	25	Notice Date	Date	8	CCYYMMDD	Y	Notice Date must equal the Date that the producer provided notice to the AIP.
							Notice Date must be within 90 days of the Initial Accepted Date.
P58	26	Insured Intention Code List	Character	8		Y	Insured Intention Code List must be valid; edit with the Insured Intention ICE, "D00067".

			Application Source: File Group: Record Name: Record Code:	Notice of Lo P58	oss	Reinsu Re	irance Ve	Year: rsion:	Delimited 2026 Comment 3/13/2025
<u>Record</u>	<u>Fie</u>		Field News	Data Tura	<u>Max</u>	Fammat	<u>BUS</u>	D	
<u>Number</u>	<u>Num</u>	iber	Field Name	<u>Data Type</u>	<u>Length</u>	<u>Format</u>	<u>кеу</u>	Req?	
P58	2	7	AIP Contact Name	Character	100				AIP Contact Name is the contact point for RMA communication for questions or issues pertaining to this Notice of Loss.
P58	28	8	AIP Contact Text	Character	300				AIP Context Text is a short free form text to facilitate communication between RMA and the AIP concerning this Notice of Loss.
P58	* 29	9	Initial Accepted Batch Number	Numeric	5	99999			Initial Accepted Batch Number is the original sequence number assigned when this record was first received at RMA.
P58	* 30	D	Initial Accepted Date	Date/Time	21	CCYYMMDD hh:mm:ss.fff			Initial Accepted Date is the original date assigned when this record was first received at RMA.
P58	* 3:	1	Batch Received Date	Date/Time	21	CCYYMMDD hh:mm:ss.fff			Batch Received Date is the date that the AIP file is received by RMA.
P58	* 32	2	Batch Number	Numeric	5	99999			Batch Number is a sequential number assigned when an AIP file is received.
P58	* 33	3	Batch Record ID	Numeric	15				Batch Record ID is a sequential number assigned to each record in the AIP file by RMA during processing. Batch Record ID is unique within the record type for the batch.
P58	* 34	4	Process Result Code	Character	1				Process Result Code equals the final result code as determined by PASS processing, refer to the Process Result ICE, "D00002" for values.

		Application Source: File Group: Record Name: Record Code:		Reinsurance Year Notice of Loss Version			Comment
<u>Record</u> <u>Number</u>	<u>Field</u> <u>Number</u> evel Rules	<u>Field Name</u>	<u>Data Type</u>	<u>Max</u> Length	<u>Format</u>	<u>BUS</u> <u>Key</u> <u>Req?</u>	<u>Rules</u>
	1						Timely processed Policy Producer, "P10" and Insurance In Force, "P14" records are required before a Notice of Loss, "P58" record will be accepted.
	2						A Notice of Loss, "P58" record may be processed independently or along with all other PASS records. PASS will allow Notice of Loss, "P58" records to be deleted using a Record Type Delete, "P48" record.
	3						PASS will allow Notice of Loss, "P58" records to delete or add to previously submitted information.
	4						The Notice of Loss, "P58" record will not be accepted when processing has been suspended for this record type per RMA directive.