File Group:

File Type: Delimited Reinsurance Year: 2026

Record Name: Exception Request Commodity

Version: Comment

Record Code: R37

Release Date: 3/13/2025

	Number	<u>Field Name</u>	Data Type	<u>Max</u> Length	<u>Format</u>	<u>BUS</u> <u>Key</u>	<u>Req</u>	<u>Rules</u>
R37	1	AIP Code	Character	2		Υ	Υ	AIP Code must be valid; edit with the AIP ICE, "D00100".
R37	2	Reinsurance Year	Numeric	4	CCYY	Υ	Υ	Current Reinsurance Year.
R37	3	Record Type Code	Character	6			Υ	Record Type Code must equal "R37".
R37	4	AIP Exception Request Key	Character	15		Υ	Υ	AIP Exception Request Key must match the corresponding primary Exception Request ("R35") record.
R37	5	AIP Exception Request Commodity Key	Character	15		Υ	Υ	AIP Exception Request Commodity Key must be unique within the AIP Exception Request Key.
R37	6	Commodity Code	Character	4			Υ	Commodity Code must be valid; edit with the type practice crosswalk D10008.
R37	7	Commodity Year	Numeric	4	CCYY		Υ	Must be either RY -1, RY, or RY +1.
								In ALL cases, if the user has submitted all 4 of the extended Type Codes, then populate the Type Code using the. Type-Practice Crosswalk. Type Code must be blank if the request would
R37	8	Type Code	Character	3				require RMA to issue a new code. Type Code must be blank if the request would require RMA to establish a new type-practice combination for the Commodity. Type Code Details in narrative of request form.
								Type Code will be blank if the request covers all offered options. Details in narrative of request form. Type Code, if not blank, must be a valid code for
								the Reinsurance Year.

File Group:

File Type: Delimited Reinsurance Year: 2026

Record Name: Exception Request Commodity

Version: Comment

Record Code: R37

Release Date: 3/13/2025

Record Number	Ontput Number	<u>Field Name</u>	Data Type	<u>Ma</u> Len		F <u>ormat</u>	BUS Key	Req	<u>Rules</u>
									Verify that Type-Practice combinations are valid.
R37	9	Practice Code	Character	3	3				Practice Code will be blank if the request would require RMA to issue a new code. Practice Code must be blank if the request would require RMA to establish a new type-practice combination for the Commodity. Details in narrative of request form.
									Practice Code will be blank if the request covers all offered options. Details in narrative of request form. Practice Code, if not blank, must be a valid code for the Reinsurance Year.
									If the Type Code is blank then Practice Code must be blank. If Type Code is populated than the Practice Code must be populated.
									In all cases, if the user has submitted all 4 of the extended Practice Codes, then populate the Practice Code using the Type-Practice Crosswalk.
R37	10	Commodity Type Code	Character	3	3				Commodity Type Code will be blank if the request would require RMA to issue a new code. Commodity Type Code must be blank if the request would require RMA to establish a new type-practice combination for the Commodity. Details in narrative of request form.

File Group:

File Type: Delimited Reinsurance Year: 2026

Record Name: Exception Request Commodity

Version: Comment

	Record Code: R37							3/13/2025
Record Number	Field Numbe	<u>r</u>	Field Name	Data Type	<u>Max</u> Length	<u>Format</u>	BUS	<u>Rules</u>
								Commodity Type Code will be blank if the request covers all offered options. Details in narrative of request form. Commodity Type Code, if not blank, must be a valid code for the Reinsurance Year. Commodity Type Code must be blank if any of the other 7 types and practices are blank. Commodity Type Code must be populated if any of the other 7 extended types and practices are
								populated. See Type/Practice Rules below for more details. In all cases, if the user has submitted Type Code and Practice Codes, then populate the Commodity Type Code using the Type-Practice Crosswalk.
R37	11	Class Code		Character	3			Class Code will be blank if the request would require RMA to issue a new code. Class Code must be blank if the request would require RMA to establish a new type-practice combination for the Commodity. Details in narrative of request form.
								Class Code will be blank if the request covers all offered options. Details in narrative of request form. Class Code, if not blank, must be a valid code for the Reinsurance Year.

File Group:

File Type: Delimited

Reinsurance Year: 2026

Record Name: Exception Request Commodity

Version: Comment Release Date: 3/13/2025

Record Code: R37

		Record Code:	K3/			Release	Date:	5/15/2025
	Field Number	<u>Field Name</u>	Data Type	<u>Max</u> Length	<u>Format</u>	<u>BUS</u> Key	Req	<u>Rules</u>
								Class Code must be blank if any of the other 7 types and practices are blank.
								Class Code must be populated if any of the other 7 extended types and practices are populated. See Type/Practice Rules below for more details.
								In all cases, if the user has submitted Type Code and Practice Codes, then populate the Class Code using the Type-Practice Crosswalk.
R37	12	Sub Class Code	Character	3				Sub Class Code will be blank if the request would require RMA to issue a new code. Sub Class Code must be blank if the request would require RMA to establish a new type-practice combination for the Commodity. Details in narrative of request form.
								Sub Class Code will be blank if the request covers all offered options. Details in narrative of request form.
								Sub Class Code, if not blank, must be a valid code for the Reinsurance Year.
								Sub Class Code must be populated if any of the other 7 extended types and practices are populated. See Type/Practice Rules below for more details.
								Sub Class Code must be blank if any of the other 7 types and practices are blank.

File Group:

File Type: Delimited Reinsurance Year: 2026

Version: Comment

Record Name: Exception Request Commodity

Release Date: 3/13/2025

Record (Code:	R37
----------	-------	-----

Record Number Field Name Data Type Length Format Key Req Rules			Record Code.	1137			Release	Date.	-1 -1 -
and Practice Codes, then populate the Sub Class Code using the Type-Practice Crosswalk. Intended Use Code will be blank if the request would require RMA to issue a new code. Intended Use Code must be blank if the request would require RMA to establish a new type-practice combination for the Commodity. Details in narrative of request form. Intended Use Code will be blank if the request covers all offered options. Details in narrative of request form. Intended Use Code, if not blank, must be a valid code for the Reinsurance Year. Intended Use Code must be populated if any of the other 7 extended types and practices are populated. See Type/Practice Rules below for more details. Intended Use Code must be blank if any of the other 7 types and practices are blank. In all cases, if the user has submitted Type Code and Practice Codes, then populate the Intended			Field Name	Data Type		<u>Format</u>			<u>Rules</u>
Code using the Type-Practice Crosswalk. Intended Use Code will be blank if the request would require RMA to issue a new code. Intended Use Code must be blank if the request would require RMA to establish a new type-practice combination for the Commodity. Details in narrative of request form. Intended Use Code will be blank if the request covers all offered options. Details in narrative of request form. Intended Use Code, if not blank, must be a valid code for the Reinsurance Year. Intended Use Code must be populated if any of the other 7 extended types and practices are populated. See Type/Practice Rules below for more details. Intended Use Code must be blank if any of the other 7 types and practices are blank. In all cases, if the user has submitted Type Code and Practice Codes, then populate the Intended									In all cases, if the user has submitted Type Code
Intended Use Code will be blank if the request would require RMA to issue a new code. Intended Use Code must be blank if the request would require RMA to establish a new type-practice combination for the Commodity. Details in narrative of request form. Intended Use Code will be blank if the request covers all offered options. Details in narrative of request form. Intended Use Code will be blank if the request covers all offered options. Details in narrative of request form. Intended Use Code, if not blank, must be a valid code for the Reinsurance Year. Intended Use Code must be populated if any of the other 7 extended types and practices are populated. See Type/Practice Rules below for more details. Intended Use Code must be blank if any of the other 7 types and practices are blank. In all cases, if the user has submitted Type Code and Practice Codes, then populate the Intended									and Practice Codes, then populate the Sub Class
R37 13 Intended Use Code Character 3 would require RMA to issue a new code. Intended Use Code must be blank if the request would require RMA to establish a new type-practice combination for the Commodity. Details in narrative of request form. Intended Use Code will be blank if the request covers all offered options. Details in narrative of request form. Intended Use Code, if not blank, must be a valid code for the Reinsurance Year. Intended Use Code must be populated if any of the other 7 extended types and practices are populated. See Type/Practice Rules below for more details. Intended Use Code must be blank if any of the other 7 types and practices are blank. In all cases, if the user has submitted Type Code and Practice Codes, then populate the Intended									Code using the Type-Practice Crosswalk.
Intended Use Code must be blank if the request would require RMA to establish a new type-practice combination for the Commodity. Details in narrative of request form. Intended Use Code will be blank if the request covers all offered options. Details in narrative of request form. Intended Use Code, if not blank, must be a valid code for the Reinsurance Year. Intended Use Code must be populated if any of the other 7 extended types and practices are populated. See Type/Practice Rules below for more details. Intended Use Code must be blank if any of the other 7 types and practices are blank. In all cases, if the user has submitted Type Code and Practice Codes, then populate the Intended									Intended Use Code will be blank if the request
would require RMA to establish a new type- practice combination for the Commodity. Details in narrative of request form. Intended Use Code will be blank if the request covers all offered options. Details in narrative of request form. Intended Use Code, if not blank, must be a valid code for the Reinsurance Year. Intended Use Code must be populated if any of the other 7 extended types and practices are populated. See Type/Practice Rules below for more details. Intended Use Code must be blank if any of the other 7 types and practices are blank. In all cases, if the user has submitted Type Code and Practice Codes, then populate the Intended									would require RMA to issue a new code.
would require RMA to establish a new type- practice combination for the Commodity. Details in narrative of request form. Intended Use Code will be blank if the request covers all offered options. Details in narrative of request form. Intended Use Code, if not blank, must be a valid code for the Reinsurance Year. Intended Use Code must be populated if any of the other 7 extended types and practices are populated. See Type/Practice Rules below for more details. Intended Use Code must be blank if any of the other 7 types and practices are blank. In all cases, if the user has submitted Type Code and Practice Codes, then populate the Intended	R37	13	Intended Use Code	Character	3				Intended Use Code must be blank if the request
in narrative of request form. Intended Use Code will be blank if the request covers all offered options. Details in narrative of request form. Intended Use Code, if not blank, must be a valid code for the Reinsurance Year. Intended Use Code must be populated if any of the other 7 extended types and practices are populated. See Type/Practice Rules below for more details. Intended Use Code must be blank if any of the other 7 types and practices are blank. In all cases, if the user has submitted Type Code and Practice Codes, then populate the Intended	11.57	13	intended ose code	Character	3				would require RMA to establish a new type-
Intended Use Code will be blank if the request covers all offered options. Details in narrative of request form. Intended Use Code, if not blank, must be a valid code for the Reinsurance Year. Intended Use Code must be populated if any of the other 7 extended types and practices are populated. See Type/Practice Rules below for more details. Intended Use Code must be blank if any of the other 7 types and practices are blank. In all cases, if the user has submitted Type Code and Practice Codes, then populate the Intended									practice combination for the Commodity. Details
covers all offered options. Details in narrative of request form. Intended Use Code, if not blank, must be a valid code for the Reinsurance Year. Intended Use Code must be populated if any of the other 7 extended types and practices are populated. See Type/Practice Rules below for more details. Intended Use Code must be blank if any of the other 7 types and practices are blank. In all cases, if the user has submitted Type Code and Practice Codes, then populate the Intended									•
request form. Intended Use Code, if not blank, must be a valid code for the Reinsurance Year. Intended Use Code must be populated if any of the other 7 extended types and practices are populated. See Type/Practice Rules below for more details. Intended Use Code must be blank if any of the other 7 types and practices are blank. In all cases, if the user has submitted Type Code and Practice Codes, then populate the Intended									Intended Use Code will be blank if the request
Intended Use Code, if not blank, must be a valid code for the Reinsurance Year. Intended Use Code must be populated if any of the other 7 extended types and practices are populated. See Type/Practice Rules below for more details. Intended Use Code must be blank if any of the other 7 types and practices are blank. In all cases, if the user has submitted Type Code and Practice Codes, then populate the Intended									covers all offered options. Details in narrative of
code for the Reinsurance Year. Intended Use Code must be populated if any of the other 7 extended types and practices are populated. See Type/Practice Rules below for more details. Intended Use Code must be blank if any of the other 7 types and practices are blank. In all cases, if the user has submitted Type Code and Practice Codes, then populate the Intended									request form.
Intended Use Code must be populated if any of the other 7 extended types and practices are populated. See Type/Practice Rules below for more details. Intended Use Code must be blank if any of the other 7 types and practices are blank. In all cases, if the user has submitted Type Code and Practice Codes, then populate the Intended									Intended Use Code, if not blank, must be a valid
the other 7 extended types and practices are populated. See Type/Practice Rules below for more details. Intended Use Code must be blank if any of the other 7 types and practices are blank. In all cases, if the user has submitted Type Code and Practice Codes, then populate the Intended									code for the Reinsurance Year.
populated. See Type/Practice Rules below for more details. Intended Use Code must be blank if any of the other 7 types and practices are blank. In all cases, if the user has submitted Type Code and Practice Codes, then populate the Intended									Intended Use Code must be populated if any of
more details. Intended Use Code must be blank if any of the other 7 types and practices are blank. In all cases, if the user has submitted Type Code and Practice Codes, then populate the Intended									the other 7 extended types and practices are
Intended Use Code must be blank if any of the other 7 types and practices are blank. In all cases, if the user has submitted Type Code and Practice Codes, then populate the Intended									populated. See Type/Practice Rules below for
other 7 types and practices are blank. In all cases, if the user has submitted Type Code and Practice Codes, then populate the Intended									more details.
In all cases, if the user has submitted Type Code and Practice Codes, then populate the Intended									Intended Use Code must be blank if any of the
and Practice Codes, then populate the Intended									other 7 types and practices are blank.
									•
Use Code using the Type-Practice Crosswalk.									
									Use Code using the Type-Practice Crosswalk.

File Group:

File Type: Delimited Reinsurance Year: 2026

Record Name: Exception Request Commodity

Release Date: 3/13/2025

Record Code: R37

Version: Comment

			Record	coue: R5/			Release	Date.	-1 -0, -0-0
Record Number	اب	<u>Field</u> umber	<u>Field Name</u>	<u>Data Type</u>	<u>Max</u> Length	<u>Format</u>	<u>BUS</u> Key	Req	<u>Rules</u>
									Irrigation Practice Code will be blank if the
									request would require RMA to issue a new code.
R37		14	Irrigation Practice Code	Character	3				Irrigation Practice Code must be blank if the
N3/		14	irrigation Fractice Code	Character	3				request would require RMA to establish a new
									type-practice combination for the Commodity.
									Details in narrative of request form.
									Irrigation Practice Code will be blank if the
									request covers all offered options. Details in
									narrative of request form.
									Irrigation Practice Code, if not blank, must be a
									valid code for the Reinsurance Year.
									Irrigation Practice Code must be blank if any of
									the other 7 types and practices are blank.
									Irrigation Practice Code must be populated if any
									of the other 7 extended types and practices are
									populated. See Type/Practice Rules below for
									more details.
									In all cases, if the user has submitted Type Code
									and Practice Codes, then populate the Irrigation
									Practice Code using the Type-Practice Crosswalk.
									Cropping Practice Code will be blank if the
									request would require RMA to issue a new code.
D27		4.5	Constitute Bounding Code	Character	2				Cropping Practice Code must be blank if the
R37		15	Cropping Practice Code	Character	3				request would require RMA to establish a new
									type-practice combination for the Commodity.
									Details in narrative of request form.

File Group:

File Type: Delimited Reinsurance Year: 2026

Version: Comment

Record Name: Exception Request Commodity

		Record Cod	le: R37		·	Release Date	· <mark>3/13/2025</mark>
	Field Number	Field Name	<u>Data Type</u>	Max Length	<u>Format</u>	<u>BUS</u> Key Req	<u>Rules</u>
							Cropping Practice Code will be blank if the request covers all offered options. Details in narrative of request form. Cropping Practice Code, if not blank, must be a valid code for the Reinsurance Year. Cropping Practice Code must be blank if any of the other 7 types and practices are blank. Cropping Practice Code must be populated if any of the other 7 extended types and practices are
							populated. See Type/Practice Rules below for more details. In all cases, if the user has submitted Type Code and Practice Codes, then populate the Cropping Practice Code using the Type-Practice Crosswalk.
R37	16	Organic Practice Code	Character	3			Organic Practice Code will be blank if the request would require RMA to issue a new code. Organic Practice Code must be blank if the request would require RMA to establish a new type-practice combination for the Commodity. Details in narrative of request form.
							Organic Practice Code will be blank if the request covers all offered options. Details in narrative of request form. Organic Practice Code, if not blank, must be a valid code for the Reinsurance Year.

File Group:

File Type: Delimited Reinsurance Year: 2026

Record Name: Exception Request Commodity

Version: Comment

			Record Code: R37				Re	elease	Date:	3/13/2025
Record Number	Field Numb		<u>Name</u> <u>Data T</u>	<u>ype</u>	<u>Max</u> Length	<u>Forma</u>	<u>at</u>	BUS Key	<u>Req</u>	<u>Rules</u>
										Organic Practice Code must be blank if any of the other 7 types and practices are blank. Organic Practice Code must be populated if any
										of the other 7 extended types and practices are populated. See Type/Practice Rules below for more details.
										In all cases, if the user has submitted Type Code and Practice Codes, then populate the Organic Practice Code using the Type-Practice Crosswalk.
R37	17	Interval Code	Chara	cter	3					Interval Code will be blank if the request would require RMA to issue a new code. Interval Code must be blank if the request would require RMA to establish a new type-practice combination for
										the Commodity. Details in narrative of request form.
										Interval Code will be blank if the request covers all offered options. Details in narrative of request form.
										Interval Code, if not blank, must be a valid code for the Reinsurance Year.
										Interval Code must be blank if any of the other 7 types and practices are blank.
										Interval Code must be populated if any of the other 7 extended types and practices are populated. See Type/Practice Rules below for more details.

File Group:

File Type: Delimited

Reinsurance Year: 2026

Version: Comment

is received by RMA.

when an AIP file is received.

record type for the batch.

Process Result ICE, "D00002".

Batch Number is a sequential number assigned

Batch Record ID is a sequential number assigned to each record in the AIP file by RMA during

processing. Batch Record ID is unique within the

Process Result Code equals the final result code as determined by PASS processing, refer to the

Record Name: Exception Request Commodity

Date/Time

Numeric

Numeric

Character

Record Code: R37

Release Date: 3/13/2025

			11000101					
Record Number	Output	<u>Field</u> Number	<u>Field Name</u>	Data Type	Max Length	<u>Format</u>	<u>BUS</u> <u>Key</u> Re	<u>Rules</u>
								In all cases, if the user has submitted Type Code and Practice Codes, then populate the Interval Code using the Type-Practice Crosswalk.
R37	*	18	Initial Accepted Batch Number	Numeric	4	9999		Initial Accepted Batch Number is the original sequence number assigned when this record was first received at RMA.
R37	*	19	Initial Accepted Date	Date/Time	21	CCYYMMDD hh:mm:ss.fff		Initial Accepted Date is the original date assigned when this record was first received at RMA.
				- · /		CCYYMMDD		Batch Received Date is the date that the AIP file

hh:mm:ss.fff

9999

21

4

15

1

R37

R37

R37

R37

20

21

22

23

Batch Received Date

Batch Number

Batch Record ID

Process Result Code

File Group:

File Type: Delimited Reinsurance Year: 2026

Version: Comment

Record Name: Exception Request Commodity

3/13/2025

Record	Code:	R37	

ord Code: R37	Release Date: 3

Record the	<u>Field</u>	 : 110:	- . -	<u>Max</u>	_	BUS	_	
Number 3	<u>Number</u>	<u>Field Name</u>	Data Type	<u>Length</u>	<u>Format</u>	Key	Req	<u>Rules</u>
Record Level Rules								
								Must have an accepted R35.
								Record must be submitted between 2020-07-01
								and 2026-02-01.
								Must be a valid Commodity Year based on the
								Reinsurance Year, and Commodity Code.
								Record will not be accepted when processing has
								been suspended for this record type per RMA
								directive.
								If there is a 37A submitted, it must be accepted
								for the R37 to be accepted. (WARNING ONLY).