

Resource Land Unit (RLU) Overview

RMA has developed the capability for AIPs to submit geospatial data for insurance purposes called the RLU. RLUs do not replace Common Land Units (CLU) as they are a specialized and complementary data layer that should reflect a more accurate planted field boundary than the existing CLU. Data will be submitted to the RMA in the GeoJSON format using a web service. Submitted RLU's will be validated and accepted RLUs will be given a unique RLU ID. Rejected RLUs will be given an error code and all accepted and rejected RLUs will be returned to the submitting AIP through a service in the JSON format.

RLU File Format

The RLUs are to be submitted as a GeoJSON, a formatted text string of coordinate points representing the bounding shape of a polygon with required and optional attribution. Multi-part polygons will not be accepted. (<http://geojson.org/>)

Coordinate System/Datum

GeoJSON's are to be submitted in a geographic coordinate reference system, using the WGS84 datum, and with a longitude and latitude units of decimal degrees.

AIP Input GeoJSON Schema

<u>AIP_RLU_Key</u>	<u>VARCHAR(15)</u>	<u>Unique AIP generated identifier used by AIPs to track submitted records</u>	<u>Required</u>
<u>AIP_Code</u>	<u>VARCHAR(2)</u>	<u>2 character AIP code</u>	<u>Required</u>
<u>AIP_Request</u>	<u>VARCHAR(1)</u>	<u>Identify action to be taken by RMA at the request of AIP (A=Add; D=Delete)</u>	<u>Required</u>
<u>AIP_Deletion_Code</u>	<u>VARCHAR(2)</u>	<u>01=Keying error; 02=RLU reconstituted; 03=Other</u>	<u>Required if AIP_Request = D</u>
<u>RLU_ID</u>	<u>VARCHAR(10)</u>	<u>Generated uniquely to identify a RLU</u>	<u>Required if AIP_Request = D</u>
<u>State_Code</u>	<u>VARCHAR(2)</u>	<u>State where RLU is located</u>	<u>Required</u>
<u>County_Code</u>	<u>VARCHAR(3)</u>	<u>County where RLU is located</u>	<u>Required</u>
<u>Acres</u>	<u>NUMERIC(9,2)</u>	<u>The GIS calculated acreage of the field</u>	<u>Required</u>
<u>Ownership*</u>	<u>VARCHAR(2)</u>	<u>01=AIP; 02=Producer</u>	<u>Required</u>
<u>Farm_Number</u>	<u>VARCHAR(7)</u>		<u>Not Required</u>
<u>Tract_Number</u>	<u>VARCHAR(7)</u>		<u>Not Required</u>
<u>Field_Number</u>	<u>VARCHAR(4)</u>		<u>Not Required</u>
<u>Shape</u>	<u>Geometry</u>		<u>Required</u>

*Producer owned data will NOT be shared.

Individual AIP Output JSON Schema

<u>AIP_RLU_Key</u>	<u>VARCHAR(15)</u>	<u>Unique AIP generated identifier used by AIPs to track submitted records</u>	<u>Required</u>
<u>RLU_ID</u>	<u>VARCHAR(10)</u>	<u>Generated uniquely to identify a RLU</u>	<u>Populated for Accepted records ONLY</u>
<u>STATUS_Code</u>	<u>VARCHAR(1)</u>	<u>A=Accepted; R=Rejected</u>	-
<u>STATUS_Description</u>	<u>VARCHAR(50)</u>	<u>Error description for rejected records</u>	<u>Populated for Rejected records ONLY</u>
<u>AIP_Code</u>	<u>VARCHAR(2)</u>	<u>2 character AIP code</u>	<u>Required</u>
<u>RLU_Purpose_Field</u>	<u>VARCHAR(2)</u>	<u>01=Cropland, 02=PRF, 03=Cover Crop, 04=Precision Agriculture, 05=Other, 06=Multiple Purposes</u>	<u>Not Required</u>

AIP RLU Intake Endpoint

- AIPRLU Intake Endpoint is a REST based Web Service.
- AIPRLU Intake Endpoint uses Client side Certificate Authentication.
- AIP needs to provide Certificate signing Request (CSR) created for Client Authentication to RMA. Please note again the CSR should be for Client Authentication. RMA will sign it and send the certificate back to AIP. The AIP can reach out to RMA Help Desk – (816) 926-1126 for any queries on CSR for AIPRLU Intake Service. **(Note: If your organization has already completed this step as part of the ACRSI project, this step does not have to be repeated unless a different set of servers is used to communicate with RMA)**
- The service end point accepts RLU report JSON as part of Request body via HTTP POST (refer to sample raw post request).
- AIPRLU Intake JSON Input File attributes
 - Submission Source → “AIP”
 - Submitted By → AIP User Account
 - Original Transmission Id → null if not associated to prior transmission Id
 - Time stamp → Time when the request was made to AIPRLU Intake Service
 - AIPRLUFile → RLU Report JSON
- Please note that the key attribute names in the JSON file are case sensitive

AWS Training (UAT) AIP RLU Intake Endpoint

<https://trn-acrsi-rma.fpac.usda.gov/apps/AIPRLUIntake/service/Ws/PostAsync>

AWS PROD AIP RLU Intake Endpoint

<https://acrsi-rma.fpac.usda.gov/apps/AIPRLUIntake/service/Ws/PostAsync>

Sample Post Request to AIPRLU Intake Service

POST

<https://trn-acrsi-rma.fpac.usda.gov/apps/AIPRLUIntake/service/Ws/PostAsync>**Header:**

Connection: Keep-Alive
Content-Length: 26744
Content-Type: application/json; charset=utf-8
Accept: application/json; charset=utf-8
Expect: 100-continue
Host: intakeaipuatest.rma.usda.gov

Body:

```
{
  "submissionsource": "AIP",
  "submittedby": "<<AIP User Account>>",
  "originalTransmissionId": null,
  "timestamp": "4/10/2015 10:30:54 AM",
  "AIPRLUFile": {
    "type": "FeatureCollection",
    "features": [
      {
        "type": "Feature",
        "properties": {
          "AIP_CODE": "AA",
          "AIP_RLU_KEY": "12345",
          "AIP_REQUEST": "A",
          "RLU_ID": "",
          "STATE_CODE": 19,
          "COUNTY_CODE": "027",
          "ACRES": 9.1,
          "OWNERSHIP": "01"
        },
        "type": "Feature",
        "geometry": {
          "type": "Polygon",
          "coordinates": [
            [
              [
                -94.64362666,
                42.19276125
              ],
              [
                -94.643645,
                42.19409606
              ],
              [
                -94.64381918,
                42.19428801
              ],
              [
                -94.64399037,
                42.19436562
              ]
            ]
          ]
        }
      }
    ]
  }
}
```

],
[
-94.64439191,
42.19442847
],
[
-94.64440028,
42.19444318
],
[
-94.64441821,
42.19425654
],
[
-94.64443206,
42.1936044
],
[
-94.64444123,
42.19336408
],
[
-94.64460028,
42.19297292
],
[
-94.64474779,
42.19273061
],
[
-94.64482966,
42.19232911
],
[
-94.64483851,
42.19207736
],
[
-94.64506963,
42.19090741
],
[
-94.64505159,
42.19080472
],
[
-94.64495758,
42.19073743
],
[
-94.64366521,
42.19072166
],
[
-94.64352921,
42.19081512


```

[-94.64460027999996, 42.1929729200001],
[-94.64444122999987, 42.19336407999998],
[-94.64443205999999, 42.19360440000014],
[-94.64441821000003, 42.19425654000008],
[-94.64440028000001, 42.194443180000064],
[-94.64439190999997, 42.194428470000105],
[-94.64399036999987, 42.19436562000004],
[-94.64381917999998, 42.19428801000004],
[-94.64364499999999, 42.194096059999936],
[-94.64362665999988, 42.19276124999999]
]],
"type": "Feature", "properties": {"FIELD_NUMBER": "7", "TRACT_NUMBER": "7598", "AIP_RLU_KEY":
"39720198", "FARM_NUMBER": "8098", "ACRES": 9.1, "AIP_CODE": "AA", "OWNERSHIP": "01",
"COUNTY_CODE": "027", "AIP_REQUEST": "A", "STATE_CODE": "19"}}, {"geometry": {"type": "Polygon",
"coordinates": [[[[-101.45639356999988, 40.78338762000004], [-101.45607809999996,
40.783000990000005], [-101.45514328999997, 40.78303121000005], [-101.45476216999998,
40.782626909999976], [-101.45462577999996, 40.782422580000116], [-101.45450332999997,
40.78222825000006], [-101.45444024, 40.78198834000011], [-101.45444957999996, 40.78187369], [-
101.44040192, 40.780156600000055], [-101.45444162000001, 40.780309960000125], [-
101.45457927000001, 40.77989263000006], [-101.45491952999993, 40.779324859999974], [-
101.45528029000002, 40.778905370000075], [-101.45577722000002, 40.778505850000045], [-
101.45621651999994, 40.778176189999954], [-101.45667422999998, 40.777937660000134], [-
101.45709104000002, 40.77781438000005], [-101.45737643000001, 40.777710960000036], [-
101.45779332999996, 40.777614440000036], [-101.45830372, 40.77756203000013], [-
101.46060124999985, 40.77757882000009], [-101.46093680999991, 40.77767627999998], [-
101.46154167999993, 40.77789536], [-101.46221178999997, 40.77822851000002], [-
101.46263585999998, 40.77849344000009], [-101.46299141999998, 40.77874896000009], [-
101.46335246000001, 40.77915306], [-101.46360931999988, 40.779526630000134], [-
101.46385840999994, 40.78002754000005], [-101.46396508999999, 40.78034487999997], [-
101.46400972000004, 40.780818200000056], [-101.46403466999999, 40.78127829999994], [-
101.46400376999998, 40.78191758000008], [-101.46400219999998, 40.78195003999991], [-
101.46393362999999, 40.78232388999999], [-101.46374607000001, 40.782636180000054], [-
101.46345784999994, 40.78301788999996], [-101.46311191000001, 40.783434460000024], [-
101.46299769999996, 40.78352438000002], [-101.46240189999997, 40.783976510000116], [-
101.46219106000001, 40.784095209999975], [-101.46201902999991, 40.78419207000002], [-
101.46127001000002, 40.784477110000125], [-101.46070208999993, 40.7846742000001], [-
101.46017415999995, 40.78478744000006], [-101.45805005999995, 40.78474412000003], [-
101.45790664000003, 40.78467226000009], [-101.45740363999994, 40.784499950000054], [-
101.45689949000001, 40.78423969000005], [-101.45675053000002, 40.78408926000003], [-
101.45653156999992, 40.7838651400001], [-101.45639356999988, 40.78338762000004]]]]}, {"type":
"Feature", "properties": {"FIELD_NUMBER": "99", "TRACT_NUMBER": "5213", "AIP_RLU_KEY":
"800001044", "FARM_NUMBER": "5951", "ACRES": 153.41, "AIP_CODE": "AA", "OWNERSHIP": "01",
"COUNTY_CODE": "135", "AIP_REQUEST": "A", "STATE_CODE": "36"}}, {"geometry": {"type": "Polygon",
"coordinates": [[[[-93.83498445999999, 41.97966167999999], [-93.83497119000003,
41.983211929999925], [-93.83496789000003, 41.98664848000004], [-93.83497964999992,
41.98686535000007], [-93.83008904000002, 41.986877940000056], [-93.83009921999997,
41.98028457000004], [-93.83007224999989, 41.97968331000004], [-93.83498445999999,
41.97966167999999]]]]}, {"type": "Feature", "properties": {"FIELD_NUMBER": "1", "TRACT_NUMBER":
"5261", "AIP_RLU_KEY": "39141695", "FARM_NUMBER": "3808", "ACRES": 79.92, "AIP_CODE": "AA",
"OWNERSHIP": "01", "COUNTY_CODE": "015", "AIP_REQUEST": "A", "STATE_CODE":
"19"}}, {"geometry": {"type": "Polygon", "coordinates": [[[[-93.83498445999999, 41.97966167999999], [-
93.83497119000003, 41.983211929999925], [-93.83496789000003, 41.98664848000004], [-
93.83497964999992, 41.98686535000007], [-93.83008904000002, 41.986877940000056], [-
93.83009921999997, 41.98028457000004], [-93.83007224999989, 41.97968331000004], [-
93.83498445999999, 41.97966167999999]]]]}, {"type": "Feature", "properties": {"FIELD_NUMBER": "1",
"TRACT_NUMBER": "5261", "AIP_RLU_KEY": "39141695", "FARM_NUMBER": "3808", "ACRES": 79.92,

```

```
"AIP_CODE": "AA", "OWNERSHIP": "01", "COUNTY_CODE": "015", "AIP_REQUEST": "A",
"STATE_CODE": "19"}}, {"geometry": {"type": "Polygon", "coordinates": [[[ -93.83950515999993,
42.019313440000076], [-93.83952662000002, 42.015639830000055], [-93.83952899000002,
42.01384497000004], [-93.84442619999993, 42.01382934999998], [-93.84442152999992,
42.01613334000001], [-93.85157106999986, 42.01619763000002], [-93.85156813999998,
42.01633067], [-93.85153731999998, 42.01653567000005], [-93.85135388000003,
42.01658278000008], [-93.85109436999994, 42.01667620999996], [-93.85094191000002,
42.01674598000005], [-93.85077548999993, 42.016918799999985], [-93.85054694999997,
42.017034869999975], [-93.84936871999997, 42.01703326000006], [-93.84935611999998,
42.01723924000004], [-93.84933999999998, 42.017368530000056], [-93.84970477999997,
42.017368530000056], [-93.84998372999996, 42.01740041000005], [-93.85017684999997,
42.017496059999985], [-93.85036996999997, 42.01751200000001], [-93.85073475000002,
42.017559830000096], [-93.85148577000001, 42.01757577000001], [-93.85201178,
42.01760736000011], [-93.85249427999997, 42.01762359000003], [-93.85247281999995,
42.01781489000007], [-93.85239080999992, 42.01935572000002], [-93.84442936999994,
42.019350869999926], [-93.83950515999993, 42.019313440000076]]]}, {"type": "Feature", "properties":
{"FIELD_NUMBER": "1", "TRACT_NUMBER": "1847", "AIP_RLU_KEY": "39742896", "FARM_NUMBER":
"1776", "ACRES": 113.5, "AIP_CODE": "AA", "OWNERSHIP": "01", "COUNTY_CODE": "015",
"AIP_REQUEST": "A", "STATE_CODE": "19"}}, {"geometry": {"type": "Polygon", "coordinates": [[[ -
93.70081734000001, 44.54720830000008], [-93.70099863000002, 44.547160740000095], [-
93.70116913999999, 44.54732040999994], [-93.70166365999995, 44.54737031000002], [-
93.70150250999995, 44.55030267999996], [-93.70013778999993, 44.55035360000011], [-
93.70025745999999, 44.549264710000045], [-93.70032601000003, 44.54848397000012], [-
93.70036041999998, 44.54810289000005], [-93.70046155, 44.54787003000013], [-
93.70052314999992, 44.54759097999994], [-93.70059701999998, 44.547458610000035], [-
93.70063761, 44.547385890000044], [-93.70081734000001, 44.54720830000008]]]}, {"type": "Feature",
"properties": {"FIELD_NUMBER": "1", "TRACT_NUMBER": "24630", "AIP_RLU_KEY": "40025985",
"FARM_NUMBER": "7314", "ACRES": 7.56, "AIP_CODE": "AA", "OWNERSHIP": "01",
"COUNTY_CODE": "139", "AIP_REQUEST": "A", "STATE_CODE": "27"}]}}
```

AIP Service Endpoint

- AIP Service Endpoint for receiving RLU Reports should be REST based.
- The AIP service end point should accept file as part of Request via HTTP POST (refer to sample raw post request).
- The RLU JSON Report key name is “file” (refer to content disposition in the sample raw post request)
- File Name will be unique per the following format
AIPRLU_<AIPCODE>_<INTERNALIDENTIFIER>_<DDMMYYYY>.json for example
AIPRLU_AA_1234_06152015.json
- **RMA ACRSI UAT IP** that should be allowed over the AIP’s firewall
 - 165.221.89.102

Sample first Post Request that will be made by RMA RLU application to AIP End Point when the input request is a single RLU record or a batch file with multiple RLU records

Example: Schema check of file by RMA is success—contains transmission ID

```
{"status": "ok", "transmissionId": 118046}
```

Example: Schema check of file by RMA fails –contains reason for failure

```
{ "code": "500", "userMessage": "Please contact RMA GIS Support –
rma.pm.gissupport@rma.usda.gov", "internalMessage": "Invalid Json Format:After parsing a
value an unexpected character was encountered: .. Path 'AIPRLUFile.features[1]', line 7,
position 866.", "serviceIdentifier": "AIPRLU_Intake" }
```

Sample second Post Request that will be made by RMA RLU Report Distribution Service to AIP End Point when the input request is a single RLU record

Highlighted url below can follow any naming convention as long as it's a REST based POST method which accepts multipart form data. The raw post request below can be used to test the AIP End Point using Fiddler or other HTTP debugging tool.

Example: Successful processing of file by RMA – Report contains details of individual records

```
POST https://<<YourHostname>>/<<YourPOST Method>> HTTP/1.1
```

```
Content-Length: 2112
```

```
Content-Type: multipart/form-data; boundary="49803f23-cb59-4358-83d4-35936aea59e7"
```

```
Host: <<Yourhostname>>
```

```
--49803f23-cb59-4358-83d4-35936aea59e7
```

```
Content-Type: text/plain; charset=utf-8
```

```
Content-Disposition: form-data; name=file; filename=10;
```

```
{ "transmissionID": 2384, "stepName": "", "status": "ok", "logID": "", "additionalInfo": { "type": "FeatureC
ollection", "features": [ { "type": "Feature", "properties": { "AIP_RLU_KEY": "12345", "AIP_CODE": "AA",
"RLU_ID": "R100000025", "STATUS_CODE": "A", "STATUS_DESCRIPTION": null }, { "type": "Featu
re", "properties": { "AIP_RLU_KEY": "12345", "AIP_CODE": "AA", "RLU_ID": "R100000026", "STATU
S_CODE": "A", "STATUS_DESCRIPTION": null } } ] } }--49803f23-cb59-4358-83d4-
35936aea59e7--
```

Example: Processing of file by RMA fails for any reason– Report contains details of error

```
POST https://<<YourHostname>>/<<YourPOST Method>> HTTP/1.1
```

```
Content-Length: 1545
```

```
Content-Type: multipart/form-data; boundary="49803f23-cb59-4358-83d4-35936aea59e7"
```

```
Host: <<Yourhostname>>
```

```
--49803f23-cb59-4358-83d4-35936aea59e7
```

```
Content-Type: text/plain; charset=utf-8
```

```
Content-Disposition: form-data; name=file; filename=10;
```

```
{ "transmissionID": 2395, "stepName": "GeoDataConverter", "status": "failure", "logID": "368561", "add
itionalInfo": "There was an error during process of this file"}--49803f23-cb59-4358-83d4-
35936aea59e7--
```

Sample second Post Request that will be made by RMA RLU Report Distribution Service to AIP End Point when the input request is a batch file with multiple RLU records

Highlighted url below can follow any naming convention as long as it's a REST based POST method which accepts multipart form data. The raw post request below can be used to test the AIP End Point using Fiddler or other HTTP debugging tool.

Example: Successful processing of file by RMA – Report contains details of individual records

POST https://<<YourHostname>>/<<YourPOST Method>> HTTP/1.1
 Content-Length: 2112
 Content-Type: multipart/form-data; boundary="49803f23-cb59-4358-83d4-35936aea59e7"
 Host: <<Yourhostname>>

--49803f23-cb59-4358-83d4-35936aea59e7
 Content-Type: text/plain; charset=utf-8
 Content-Disposition: form-data; name=file; filename=10;

```
{
  "transmissionID":122596,"recordsStatus":"Accepted Record Count: 6 Rejected Record Count:
  0 Total
  Records:6","stepName":"","status":"ok","logID":"","additionalInfo":{"type":"FeatureCollection",
  "features":[{"type":"Feature","properties":{"AIP_RLU_KEY":"39720198","AIP_CODE":"A
  A","RLU_ID":"R15100001","STATUS_CODE":"A","STATUS_DESCRIPTION":null}},{
  "type":"Feature","properties":{"AIP_RLU_KEY":"800001044","AIP_CODE":"AA","RLU_ID
  ":"R151000003","STATUS_CODE":"A","STATUS_DESCRIPTION":null}},{
  "type":"Feature","properties":{"AIP_RLU_KEY":"39141695","AIP_CODE":"AA","RLU_ID":"R1510000
  05","STATUS_CODE":"A","STATUS_DESCRIPTION":null}},{
  "type":"Feature","properties":{"AIP_RLU_KEY":"39141695","AIP_CODE":"AA","RLU_ID":"R151000007","STATU
  S_CODE":"A","STATUS_DESCRIPTION":null}},{
  "type":"Feature","properties":{"AIP_RLU_KEY":"39742896","AIP_CODE":"AA","RLU_ID":"R151000009","STATU
  S_CODE":"A","STATUS_DESCRIPTION":null}},{
  "type":"Feature","properties":{"AIP_RLU_KEY":"40
  025985","AIP_CODE":"AA","RLU_ID":"R151000011","STATUS_CODE":"A","STATUS_
  DESCRIPTION":null}}]} --49803f23-cb59-4358-83d4-35936aea59e7—
```

Example: Processing of file by RMA fails for any reason– Report contains details of error

POST https://<<YourHostname>>/<<YourPOST Method>> HTTP/1.1
 Content-Length: 1545
 Content-Type: multipart/form-data; boundary="49803f23-cb59-4358-83d4-35936aea59e7"
 Host: <<Yourhostname>>

--49803f23-cb59-4358-83d4-35936aea59e7
 Content-Type: text/plain; charset=utf-8
 Content-Disposition: form-data; name=file; filename=10;

```
{
  "transmissionID":122596,"recordsStatus":"Accepted Record Count: 0 Rejected Record Count:
  6 Total Records:
  6","stepName":"","status":"ok","logID":"","additionalInfo":{"type":"FeatureCollection",
  "features":[{"type":"Feature","properties":{"AIP_RLU_KEY":"39720198","AIP_CODE":"AA","RL
  U_ID":null,"STATUS_CODE":"R","STATUS_DESCRIPTION":"Duplicate RLU
  Record"}},{
  "type":"Feature","properties":{"AIP_RLU_KEY":"800001044","AIP_CODE":"
  AA","RLU_ID":null,"STATUS_CODE":"R","STATUS_DESCRIPTION":"Incorrect
  State/County
  value"}},{
  "type":"Feature","properties":{"AIP_RLU_KEY":"39141695","AIP_CODE":"AA",
  "RLU_ID":null,"STATUS_CODE":"R","STATUS_DESCRIPTION":"Duplicate RLU
  Record"}},{
  "type":"Feature","properties":{"AIP_RLU_KEY":"39141695","AIP_CODE":"A
  A","RLU_ID":null,"STATUS_CODE":"R","STATUS_DESCRIPTION":"Duplicate RLU
  Record"}},{
  "type":"Feature","properties":{"AIP_RLU_KEY":"39742896","AIP_CODE":"A
```

A\,"RLU_ID":null,"STATUS_CODE":"R","STATUS_DESCRIPTION":"Duplicate RLU Record"}, {"type":"Feature","properties":{"AIP_RLU_KEY":"40025985","AIP_CODE":"A A\,"RLU_ID":null,"STATUS_CODE":"R","STATUS_DESCRIPTION":"Duplicate RLU Record"}]]} --49803f23-cb59-4358-83d4-35936aea59e7—