File Group:

Record Name: Exception Request Commodity

Record Code: R37

File Type: Delimited

Reinsurance Year: 2026

Version: Draft

Record Number	Number Field	<u>Field Name</u>	<u>Data Type</u>	Max Length	<u>Format</u>	BUS Key	<u>Req</u>	<u>Rules</u>
R37	1	AIP Code	Character	2		Υ	Υ	AIP Code must be valid; edit with the AIP ICE, "D00100".
R37	2	Reinsurance Year	Numeric	4	CCYY	Υ	Υ	Current Reinsurance Year.
R37	3	Record Type Code	Character	6			Υ	Record Type Code must equal "R37".
R37	4	AIP Exception Request Key	Character	15		Υ	Υ	AIP Exception Request Key must match the corresponding primary Exception Request ("R35") record.
R37	5	AIP Exception Request Commodity Key	Character	15		Υ	Υ	AIP Exception Request Commodity Key must be unique within the AIP Exception Request Key.
R37	6	Commodity Code	Character	4			Υ	Commodity Code must be valid; edit with the type practice crosswalk D10008.
R37	7	Commodity Year	Numeric	4	CCYY		Υ	Must be either RY -1, RY, or RY +1.
								In ALL cases, if the user has submitted all 4 of the extended Type Codes, then populate the Type Code using the. Type-Practice Crosswalk.
R37	8	Type Code	Character	3				Type Code must be blank if the request would require RMA to issue a new code. Type Code must be blank if the request would require RMA to establish a new type-practice combination for the Commodity. Type Code Details in narrative of request form. Type Code will be blank if the request covers all offered options. Details in narrative of request
								form.

File Group:

Record Name: Exception Request Commodity

Record Code: R37

File Type: Delimited

Reinsurance Year: 2026

Version: Draft

Record Number	Field Number	<u>Field Name</u>	<u>Data Type</u>	<u>Max</u> Length	<u>Format</u>	<u>BUS</u> Key Req	<u>Rules</u>
							Type Code, if not blank, must be a valid code for
							the Reinsurance Year.
							Verify that Type-Practice combinations are valid.
							Practice Code will be blank if the request would
							require RMA to issue a new code. Practice Code
R37	0	Practice Code	Character	3			must be blank if the request would require RMA
K3/	9	Practice Code	Character	3			to establish a new type-practice combination for
							the Commodity. Details in narrative of request
							form.
							Practice Code will be blank if the request covers
							all offered options. Details in narrative of request
							form.
							Practice Code, if not blank, must be a valid code
							for the Reinsurance Year.
							If the Type Code is blank then Practice Code must
							be blank. If Type Code is populated than the
							Practice Code must be populated.
_							In all cases, if the user has submitted all 4 of the
							extended Practice Codes, then populate the
							Practice Code using the Type-Practice Crosswalk.

File Group:

Record Name: Exception Request Commodity

Record Code: R37

File Type: Delimited

Reinsurance Year: 2026

Version: Draft

Record Number	Field Number	Field Name	Data Type	<u>Max</u> Length	Format	<u>BUS</u> Key	Rea	Rules
100111001	O itamica	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u>,</u>	<u></u>	Commodity Type Code will be blank if the
								request would require RMA to issue a new code.
R37	10	Commodity Type Code	Character	3				Commodity Type Code must be blank if the
K5/	10	Commodity Type Code	Character	3				request would require RMA to establish a new
								type-practice combination for the Commodity.
								Details in narrative of request form.
								Commodity Type Code will be blank if the
								request covers all offered options. Details in
								narrative of request form.
								Commodity Type Code, if not blank, must be a
								valid code for the Reinsurance Year.
								Commodity Type Code must be blank if any of
								the other 7 types and practices are blank.
								Commodity Type Code must be populated if any
								of the other 7 extended types and practices are
								populated. See Type/Practice Rules below for
								more details.
								In all cases, if the user has submitted Type Code
								and Practice Codes, then populate the
								Commodity Type Code using the Type-Practice
								Crosswalk.

File Group:

Record Name: Exception Request Commodity

Record Code: R37

File Type: Delimited

Reinsurance Year: 2026

Version: Draft

Record Number	Field Number	<u>Field Name</u>	<u>Data Type</u>	Max Length	<u>Format</u>	<u>BUS</u> <u>Key</u>	<u>Req</u>	<u>Rules</u>
R37	11	Class Code	Character	3				Class Code will be blank if the request would require RMA to issue a new code. Class Code must be blank if the request would require RMA to establish a new type-practice combination for the Commodity. Details in narrative of request form.
								Class Code will be blank if the request covers all offered options. Details in narrative of request form.
								Class Code, if not blank, must be a valid code for the Reinsurance Year.
								Class Code must be blank if any of the other 7 types and practices are blank.
								Class Code must be populated if any of the other 7 extended types and practices are populated. See Type/Practice Rules below for more details.
								In all cases, if the user has submitted Type Code and Practice Codes, then populate the Class Code using the Type-Practice Crosswalk.
R37	12	Sub Class Code	Character	3				Sub Class Code will be blank if the request would require RMA to issue a new code. Sub Class Code must be blank if the request would require RMA to establish a new type-practice combination for the Commodity. Details in narrative of request form.

File Group:

Record Name: Exception Request Commodity

Record Code: R37

File Type: Delimited

Reinsurance Year: 2026

Version: Draft

Record Number	<u>Field</u> Numbe	<u>r</u> <u>Field Name</u>	<u>Data Type</u>	<u>lax</u> ngth	<u>Format</u>	BUS Key	Req	<u>Rules</u>
								Sub Class Code will be blank if the request covers all offered options. Details in narrative of request form.
								Sub Class Code, if not blank, must be a valid code for the Reinsurance Year.
								Sub Class Code must be populated if any of the other 7 extended types and practices are populated. See Type/Practice Rules below for more details.
								Sub Class Code must be blank if any of the other 7 types and practices are blank.
								In all cases, if the user has submitted Type Code and Practice Codes, then populate the Sub Class Code using the Type-Practice Crosswalk.
R37	13	Intended Use Code	Character	3				Intended Use Code will be blank if the request would require RMA to issue a new code. Intended Use Code must be blank if the request would require RMA to establish a new type-practice combination for the Commodity. Details in narrative of request form.
								Intended Use Code will be blank if the request covers all offered options. Details in narrative of request form.
								Intended Use Code, if not blank, must be a valid code for the Reinsurance Year.

File Group:

Record Name: Exception Request Commodity

Record Code: R37

File Type: Delimited

Reinsurance Year: 2026

Version: Draft

Record Number	Number	Field Name	Data Type	Max Length	Format	<u>BUS</u> Kev	Req	Rules
1101111001	0	<u> </u>	<u> </u>	<u></u>	<u> </u>	<u>y</u>	<u></u>	Intended Use Code must be populated if any of
								the other 7 extended types and practices are
								populated. See Type/Practice Rules below for
								more details.
								Intended Use Code must be blank if any of the
								other 7 types and practices are blank.
								In all cases, if the user has submitted Type Code
								and Practice Codes, then populate the Intended
								Use Code using the Type-Practice Crosswalk.
								Irrigation Practice Code will be blank if the
								request would require RMA to issue a new code.
R37	14	Irrigation Practice Code	Character	3				Irrigation Practice Code must be blank if the
		-						request would require RMA to establish a new
								type-practice combination for the Commodity.
								Details in narrative of request form.
								Irrigation Practice Code will be blank if the
								request covers all offered options. Details in
								narrative of request form.
								Irrigation Practice Code, if not blank, must be a
								valid code for the Reinsurance Year.
								Irrigation Practice Code must be blank if any of
								the other 7 types and practices are blank.

File Group:

Record Name: Exception Request Commodity

Record Code: R37

File Type: Delimited

Reinsurance Year: 2026

Version: Draft

Record Number	Number Number	<u>Field Name</u>	<u>Data Type</u>	<u>Max</u> Length	<u>Forn</u>	Bl nat Ke	JS ey F	<u>Rules</u>
								Irrigation Practice Code must be populated if any of the other 7 extended types and practices are populated. See Type/Practice Rules below for more details.
								In all cases, if the user has submitted Type Code and Practice Codes, then populate the Irrigation Practice Code using the Type-Practice Crosswalk.
R37	15	Cropping Practice Code	Character	3				Cropping Practice Code will be blank if the request would require RMA to issue a new code. Cropping Practice Code must be blank if the request would require RMA to establish a new type-practice combination for the Commodity. Details in narrative of request form.
								Cropping Practice Code will be blank if the request covers all offered options. Details in narrative of request form.
								Cropping Practice Code, if not blank, must be a valid code for the Reinsurance Year.
								Cropping Practice Code must be blank if any of the other 7 types and practices are blank.
								Cropping Practice Code must be populated if any of the other 7 extended types and practices are populated. See Type/Practice Rules below for more details.

File Group:

Record Name: Exception Request Commodity

Record Code: R37

File Type: Delimited

Reinsurance Year: 2026

Version: Draft

Record Number	- اب	ield ımber	<u>Field Name</u>	Data Type	<u>Max</u> Length	<u>Format</u>	<u>BUS</u> Key	Req	<u>Rules</u>
									In all cases, if the user has submitted Type Code
									and Practice Codes, then populate the Cropping
									Practice Code using the Type-Practice Crosswalk.
									Organic Practice Code will be blank if the request
									would require RMA to issue a new code. Organic
R37		16	Organic Practice Code	Character	3				Practice Code must be blank if the request would
K5/		10	Organic Practice Code	Cilaracter	3				require RMA to establish a new type-practice
									combination for the Commodity. Details in
									narrative of request form.
									Organic Practice Code will be blank if the request
									covers all offered options. Details in narrative of
									request form.
									Organic Practice Code, if not blank, must be a
									valid code for the Reinsurance Year.
									Organic Practice Code must be blank if any of the
									other 7 types and practices are blank.
									Organic Practice Code must be populated if any
									of the other 7 extended types and practices are
									populated. See Type/Practice Rules below for
									more details.
									In all cases, if the user has submitted Type Code
									and Practice Codes, then populate the Organic
									Practice Code using the Type-Practice Crosswalk.

File Group:

Record Name: Exception Request Commodity

Record Code: R37

File Type: Delimited

Reinsurance Year: 2026

Version: Draft

Record	tbut	<u>Field</u>			<u>Max</u>		BUS		
<u>Number</u>	<u>9</u> Nr	<u>umber</u>	<u>Field Name</u>	<u>Data Type</u>	<u>Length</u>	<u>Format</u>	<u>Key</u>	Req	<u>Rules</u>
R37		17	Interval Code	Character	3				Interval Code will be blank if the request would require RMA to issue a new code. Interval Code must be blank if the request would require RMA to establish a new type-practice combination for the Commodity. Details in narrative of request form. Interval Code will be blank if the request covers
									all offered options. Details in narrative of request form.
									Interval Code, if not blank, must be a valid code for the Reinsurance Year. Interval Code must be blank if any of the other 7 types and practices are blank. Interval Code must be populated if any of the other 7 extended types and practices are populated. See Type/Practice Rules below for more details.
									In all cases, if the user has submitted Type Code and Practice Codes, then populate the Interval Code using the Type-Practice Crosswalk.
R37	*	18	Initial Accepted Batch Number	Numeric	4	9999			Initial Accepted Batch Number is the original sequence number assigned when this record was first received at RMA.
R37	*	19	Initial Accepted Date	Date/Time	21	CCYYMMDD hh:mm:ss.fff			Initial Accepted Date is the original date assigned when this record was first received at RMA.

File Group:

Record Name: Exception Request Commodity

Record Code: R37

File Type: Delimited

Reinsurance Year: 2026

Version: Draft

Record Number	Output	<u>Field</u> Number	<u>Field Name</u>	<u>Data Type</u>	Max Length	<u>Format</u>	BUS Key Req	<u>Rules</u>
R37	*	20	Batch Received Date	Date/Time	21	CCYYMMDD hh:mm:ss.fff		Batch Received Date is the date that the AIP file is received by RMA.
R37	*	21	Batch Number	Numeric	4	9999		Batch Number is a sequential number assigned when an AIP file is received.
R37	*	22	Batch Record ID	Numeric	15			Batch Record ID is a sequential number assigned to each record in the AIP file by RMA during processing. Batch Record ID is unique within the record type for the batch.
R37	*	23	Process Result Code	Character	1			Process Result Code equals the final result code as determined by PASS processing, refer to the Process Result ICE, "D00002".

File Type: Delimited

File Group:

Reinsurance Year: 2026

Record Name: Exception Request Commodity

Version: Draft

Record Code: R37

Record That Number Number	<u>Field Name</u>	<u>Max</u> <u>Data Type</u> <u>Length</u>	<u>Format</u>	<u>BUS</u> Key <u>Req</u>	<u>Rules</u>
Record Level Rules					
				Must h	nave an accepted R35.
					must be submitted between 2020-07-01 126-02-01.
					ne a valid Commodity Year based on the rance Year, and Commodity Code.
					will not be accepted when processing has uspended for this record type per RMA ve.
					e is a 37A submitted, it must be accepted R37 to be accepted. (WARNING ONLY).