

<b>Application Source:</b>	<b>File Type:</b>
<b>File Group:</b>	<b>Reinsurance Year:</b> 2013
<b>Record Name:</b> Disbursement Loss	<b>Version:</b> Draft
<b>Record Code:</b> D00070	<b>Release Date:</b> 04/17/2014

<u>Record Number</u>	<u>Output</u>	<u>Field Number</u>	<u>Field Name</u>	<u>Data Type</u>	<u>Max Length</u>	<u>Format</u>	<u>BUS Key</u>	<u>Req?</u>	<u>Rules</u>
D00070	*	1	Reinsurance Year	Numeric	4	CCYY	Y	N/A	Reinsurance Year will be "2013"
D00070	*	2	Record Type Code	Character	6			N/A	Record Type Code will be "D00070"
D00070	*	3	Disbursement Loss Code	Character	1		Y	N/A	
D00070	*	4	Disbursement Loss Code Description	Character	100			N/A	
D00070	*	5	Released Date	Date	8	CCYYMMDD		N/A	
D00070	*	6	Last Released Date	Date	8	CCYYMMDD		N/A	
D00070	*	7	Deleted Date	Date	8	CCYYMMDD		N/A	

The transmitted data will contain a header row of pipe (|) delimited column names listed in their data order.