

<b>Application Source:</b>	<b>File Type:</b>
<b>File Group:</b>	<b>Reinsurance Year:</b> 2014
<b>Record Name:</b> Gleaned Acreage	<b>Version:</b> Draft
<b>Record Code:</b> D00125	<b>Release Date:</b> 04/17/2014

<u>Record Number</u>	<u>Output</u>	<u>Field Number</u>	<u>Field Name</u>	<u>Data Type</u>	<u>Max Length</u>	<u>Format</u>	<u>BUS Key</u>	<u>Req?</u>	<u>Rules</u>
D00125	*	1	Reinsurance Year	Numeric	4	CCYY	Y	N/A	Reinsurance Year will be "2014"
D00125	*	2	Record Type Code	Character	6			N/A	Record Type Code will be "D00125"
D00125	*	3	Gleaned Acreage Code	Character	2		Y	N/A	
D00125	*	4	Gleaned Acreage Description	Character	100			N/A	
D00125	*	5	Released Date	Date	8	CCYYMMDD		N/A	
D00125	*	6	Last Released Date	Date	8	CCYYMMDD		N/A	
D00125	*	7	Deleted Date	Date	8	CCYYMMDD		N/A	

The transmitted data will contain a header row of pipe (|) delimited column names listed in their data order.