

## Special Provisions

### 2026 and Succeeding Crop Years

Year: 2026	Commodity: Nursery (NVS) (1010)	Use All: ^* [ ] A FD
Date: 4/2/2025	Plan: Dollar Amount Of Insurance (50)	County: Harney (025)

### Program Dates for Insurable Types and Practices

<b>Sales Closing Date</b> 9/1/2025	<b>Cancellation Date</b> 9/30/2025	<b>Earliest Planting Date</b>	<b>Final Planting Date</b>	<b>End of Late Planting Period Date</b>	<b>Acreage Reporting Date</b>
<b>Premium Billing Date</b> 7/15/2026	<b>End of Insurance Date</b> 9/30/2026	<b>Termination Date</b> 9/30/2026	<b>Contract Change Date</b> 4/30/2026	<b>Production Reporting Date</b>	<b>Insured's Production Reporting Date</b>

TP	Type	Practice
T/P 01	Foliage 068	Container 008
T/P 02	Foliage 068	Field Grown 007
T/P 03	Liners 071	Container 008
T/P 04	Annual Plants and Plants Grown for 1 Yr or Less 840	Container 008
T/P 05	Herbaceous Biennials and Perennials 841	Container 008
T/P 06	Vines 842	Container 008
T/P 07	Vines 842	Field Grown 007
T/P 08	Broadleaf Evergreen Trees and Shrubs 843	Container 008
T/P 09	Broadleaf Evergreen Trees and Shrubs 843	Field Grown 007
T/P 10	Coniferous Evergreen Trees and Shrubs 844	Container 008
T/P 11	Coniferous Evergreen Trees and Shrubs 844	Field Grown 007
T/P 12	Deciduous Trees and Shrubs 845	Container 008
T/P 13	Deciduous Trees and Shrubs 845	Field Grown 007
T/P 14	Palms 846	Container 008
T/P 15	Palms 846	Field Grown 007
T/P 16	Cycads 847	Container 008
T/P 17	Cycads 847	Field Grown 007

## Special Provisions

### 2026 and Succeeding Crop Years

Year: 2026	Commodity: Nursery (NVS) (1010)	Use: <del>AW</del> !^* [ ] A FD
Date: 4/2/2025	Plan: Dollar Amount Of Insurance (50)	County: Harney (025)



## Special Provisions

### 2026 and Succeeding Crop Years

Year: 2026	Commodity: Nursery (NVS) (1010)	Use: <del>AW</del> !^* [ ] A FD
Date: 4/2/2025	Plan: Dollar Amount Of Insurance (50)	County: Harney (025)

## Special Provisions

### 2026 and Succeeding Crop Years

Year: 2026      Commodity: Nursery (NVS) (1010)      Use Code: 10101^\* [ ] A FD  
 Date: 4/2/2025      Plan: Dollar Amount Of Insurance (50)      County: Harney (025)

TP	Type Information				Practice Information			
	Commodity Type	Class	Sub Class	Intended Use	Irrigation	Cropping	Organic	Interval
T/P 12	Deciduous Trees And Shrubs 845	No Class Specified 997	No Subclass Specified 997	No Intended Use Specified 997	No Irrigation Practice Specified 997	Container 008	No Organic Practice Specified 997	No Interval Specified 997
T/P 13	Deciduous Trees And Shrubs 845	No Class Specified 997	No Subclass Specified 997	No Intended Use Specified 997	No Irrigation Practice Specified 997	Field Grown 007	No Organic Practice Specified 997	No Interval Specified 997
T/P 14	Palms 846	No Class Specified 997	No Subclass Specified 997	No Intended Use Specified 997	No Irrigation Practice Specified 997	Container 008	No Organic Practice Specified 997	No Interval Specified 997
T/P 15	Palms 846	No Class Specified 997	No Subclass Specified 997	No Intended Use Specified 997	No Irrigation Practice Specified 997	Field Grown 007	No Organic Practice Specified 997	No Interval Specified 997
T/P 16	Cyads 847	No Class Specified 997	No Subclass Specified 997	No Intended Use Specified 997	No Irrigation Practice Specified 997	Container 008	No Organic Practice Specified 997	No Interval Specified 997
T/P 17	Cyads 847	No Class Specified 997	No Subclass Specified 997	No Intended Use Specified 997	No Irrigation Practice Specified 997	Field Grown 007	No Organic Practice Specified 997	No Interval Specified 997

### General

Contact your agent regarding possible premium discounts, options, and/or additional coverage that may be available.

If during any of the three most recent crop years you incurred a paid crop insurance indemnity due to excess moisture or flood that was not associated with a named storm (hurricane, typhoon, or tropical storm named and designated as such by the National Oceanic and Atmospheric Administration's National Hurricane Center, or its successor), we will not insure against any future losses due to excess moisture or flood not associated with a named storm unless you make improvements to your nursery to mitigate future losses from these perils. At your request, we will inspect the improvements and, if acceptable, approve the nursery for renewed coverage against these perils.

In accordance with section 10(c)(1) of the Crop Provisions, viral infection of orchids is a covered cause of loss provided that the infected plants exhibit explicit physical symptoms of the disease (e.g., color break of flowers, ring-spot lesions, etc.). Additionally, in accordance with section 10(c)(5), asymptomatic plants for which the only damage is failure to grow to an expected size or failure to produce an expected number of flowers will not be considered damaged by an insurable cause of loss.

## Special Provisions

### 2026 and Succeeding Crop Years

Year: 2026	Commodity: Nursery (NVS) (1010)	Use: <del>AW</del> !^* [ ] A FD
Date: 4/2/2025	Plan: Dollar Amount Of Insurance (50)	County: Harney (025)

## Special Provisions 2026 and Succeeding Crop Years

Year: 2026                                      Commodity: Nursery (NVS) (1010)                                      Use: 40001^\* [ ] A FD  
 Date: 4/2/2025                                      Plan:                      Dollar Amount Of Insurance (50)                                      County: Harney (025)

Leaf drop without death of the twigs, branches or stems is considered a normal response to cold and will not be considered as basis for a claim for all cultivars of Ficus benjamina, Ficus retusa, and Hibiscus rosa-sinensis; all species and cultivars of Ixora; and any genus, species, and cultivars of deciduous trees. Death of the twigs, branches, or stems is minimally required as a basis for claim.

PROHIBITED PLANTS - Any plant classified by a state or county as illegal to grow or sell in the county in which the nursery is located is uninsurable. For example, growing or selling plants classified as invasive species is illegal in many states and counties. No indemnity will be paid on any such plant.

Á

Damage Factors:

Condition	Degree of Damage	Damage Factor
For Liners and Annual Plants Plant Categories		
Undamaged	10%	0.00
Dead/Zero Market Value	Dead or damaged to the extent the plant has zero market value and cannot be marketed	1.00
Á		
For all other plant categories		
Undamaged	less than 10%	0.00
Retained Damaged	equal to or greater than 10%	0.50
Discarded Damaged	equal to or greater than 10%	0.75
Dead/Zero Market Value	Dead or damaged to the extent the plant has zero market value and cannot be marketed	1.00

In addition to section 1 of the Crop Provisions, the definition of standard nursery containers will include: (a) herbaceous biennial and perennial plants that are grown in the field in containers without a bottom in a manner that allows the plants' roots to grow into the ground, and (b) for all other plant categories, containers without a bottom that are placed on a barrier that will not permit the plants' roots, other than fibrous roots, to grow into the ground.

## Special Provisions

### 2026 and Succeeding Crop Years

Year: 2026	Commodity: Nursery (NVS) (1010)	Use: <del>AW</del> !^* [ ] A FD
Date: 4/2/2025	Plan: Dollar Amount Of Insurance (50)	County: Harney (025)



## Special Provisions

### 2026 and Succeeding Crop Years

Year: 2026	Commodity: Nursery (NVS) (1010)	Use: <del>AW</del> !^* [ ] A FD
Date: 4/2/2025	Plan: Dollar Amount Of Insurance (50)	County: Harney (025)

**Special Provisions**  
**2026 and Succeeding Crop Years**

Year: 2026                                      Commodity: Nursery (NVS) (1010)                                      UCR# 10001^\* [ ] A FD  
Date: 4/2/2025                                      Plan:                      Dollar Amount Of Insurance (50)                                      County: Harney (025)

**Cold Protection Requirements for Container Nursery Stock**

**I. General Cold Protection Facts**

A. Plant root tissue does not harden off and root systems of all plants in containers above the ground require more protection than when a plant is planted in the ground, as the ground serves as an effective insulator.

B. Objectives for nursery container Cold Protection Requirements (CPRs):

- 1. To provide effective and feasible cold protection methods for applicable Plant Categories in each hardiness zone.
- 2. To provide maximum insurability for applicable Plant Categories in each hardiness zone.

C. Both the Basic CPRs and the more specific Operational CPRs are required for containerized and container-grown plants based on the hardiness zone for the plant. Good Nursery Practices are defined as horticultural practices generally in use in the United States for the production of nursery plants in making normal progress toward the stage of growth at which marketing can occur and are generally recognized by agricultural experts for the area where the plants are being grown, as compatible with the nursery plant production practices and weather conditions in the county. As assigned to a specific Plant Category in a specific hardiness zone, then CPRs shall include management and operations that prevent plant stress relative to, but not limited to, the following factors: over and under irrigation; salt accumulation including increased fertilizer release from incorporated slow release fertilizers; insect or disease damage; improper fertilization, herbicide, insecticide and fungicide applications such as incorrect products, improper timing, incorrect calibration and/or rates, and species injury susceptibility. Consideration will be given to circumstances wherein the above are unattainable or impossible to implement.

**II. Basic Cold Protection Requirements (CPRs).**

A. General Basic CPRs:

- 1. All plants shall be managed in accordance with Good Nursery Practices.
- 2. Basic CPRs shall be required with all Operational CPRs.
- 3. Good Nursery Practices shall include management and operations that prevent plant stress relative to, but not limited to, the following factors: over and under irrigation; salt accumulation including increased fertilizer release from incorporated slow release fertilizers; insect or disease damage; improper fertilization, herbicide, insecticide and fungicide applications such as incorrect products, improper timing, incorrect calibration and/or rates, and species injury susceptibility. Consideration will be given to circumstances wherein the above are unattainable or impossible to implement.

B. Descriptive Basic CPRs.

## Special Provisions

### 2026 and Succeeding Crop Years

Year: 2026	Commodity: Nursery (NVS) (1010)	Use: <del>AW</del> !^* [ ] A FD
Date: 4/2/2025	Plan: Dollar Amount Of Insurance (50)	County: Harney (025)

# Special Provisions

## 2026 and Succeeding Crop Years

Year: 2026	Commodity: Nursery (NVS) (1010)	Use: 10001* [ ] AG FD
Date: 4/2/2025	Plan: Dollar Amount Of Insurance (50)	County: Harney (025)

1. All container plants must be irrigated to maintain appropriate moisture levels needed for optimum growth and winter cold hardness.
2. Y hay, straw, etc.
3. Solar radiation protection via shade cloth or similar products must be provided as needed.
4. All plants must be provided cold and heat protection required to prevent winter injury, maintain dormancy during the winter, and to regain growth and vigor at
5. Structural and plant coverings shall consist of a polyethylene plastic film that is translucent (diffuse light transmission) or semi-transparent or slightly opaque (fleece) fabric, spun-bound blankets, heavy shade cloth, all of which are of the appropriate thickness or weight for normal freeze or frost protection as specified
6. The use of hay, straw, etc.
7. Protection may be season-long or applied and removed as needed to provide freeze or frost protection in accordance with Good Nursery Practices. The timing of protection application and removal, including venting during warm periods, can be as critical as the method of protection. The goal is to be Prepared
8. In providing proper cold protection, growers must consider the age or maturity of the plant as cold hardness varies according to the age of the plant with less mature plants being more subject to injury.
9. Consolidation of containers placed container-to-container pertains to placing individual containers as close together as possible to slow the rate of cooling of
10. Assignment of Operational CPRs are based on Plant Categories, however, some variation in protection needed can occur based on various species and

**III. Operational Cold Protection Requirements.**

- A. Glass, Lexan types, Polycarbonate sheeting or Double Translucent Poly Covered Walk-in Structure or an environmentally controlled building with plants standing up or lying down, with appropriate supplemental heat, humidity and irrigation to prevent cold, freeze, heat or desiccation damage.
- B. Structureless Plant Bed with plants laid down and consolidated container-to-container, with Poly plus 1 HGA of Hay plus Poly plus 1 HGA of Hay completely

## Special Provisions

### 2026 and Succeeding Crop Years

Year: 2026	Commodity: Nursery (NVS) (1010)	Use: <del>AW</del> !^* [ ] A FD
Date: 4/2/2025	Plan: Dollar Amount Of Insurance (50)	County: Harney (025)

**Special Provisions**  
**2026 and Succeeding Crop Years**

Year: 2026	Commodity: Nursery (NVS) (1010)	Use: 1000 [ ] FD
Date: 4/2/2025	Plan: Dollar Amount Of Insurance (50)	County: Harney (025)

covering the plants and containers.

C. Structureless Plant Bed with plants laid down and consolidated container-to-container, with Poly plus 1 #FG of Hay plus Poly completely covering the plants and containers.

D. Structureless Plant Bed with plants laid down and consolidated container-to-container, with Poly and then 1 #FG of Hay completely covering the plants and containers.

E. Lexan type or Double Translucent Poly Covered Walk-in Structure with plants consolidated container-to-container, standing up or lying down, with thermo blanket (Fleece Fabric, Micro Foam, Spun-bound Fabric) completely covering the plants and containers.

F. Below Ground Pot-in-Pot System with adequate drainage to prevent water logging and excess salt accumulation.

G. White Poly Covered Low Hoop House, Cold Frame or Walk-in Structure with plants consolidated container-to-container, standing up or lying down, with thermo blanket (Fleece Fabric, Micro Foam, Spun-bound Fabric) completely covering the plants and containers.

H. Structureless Plant Bed with plants laid down and consolidated container-to-container, with thermo blanket (Fleece Fabric, Micro Foam, Spun-bound Fabric) plus White Poly completely covering the plants and containers.

I. Structureless Plant Bed with plants standing up and mulched with woodchips between containers and 1 #FG above the containers.

J. White Poly Covered Low Hoop House, Cold Frame or Walk-in Structure with plants consolidated container-to-container, standing up or lying down, plus White Poly completely covering the plants and containers.

K. Structureless Plant Bed with plants laid down covered with thermo blanket (Fleece Fabric, Micro Foam, Spun-bound Fabric) completely covering the plants and containers.

L. White Poly Covered Low Hoop House, Cold Frame or Walk-in Structure with plants consolidated container-to-container, standing up or lying down.

T

N. Structureless Plant Bed with plants consolidated container-to-container standing up with the entire perimeter of the bed wrapped to the height of the container with a thermo blanket or similar material.

O. Shade Structure with shade fabric or woven translucent fabric and an Irrigation System capable of coating the structure with ice to form a 100% of Ice.

P. Overhead Irrigation System equipped with sufficient sprinklers, water volume and water pressure to provide complete coverage of all plants throughout the duration of potential frost damage.

## Special Provisions

### 2026 and Succeeding Crop Years

Year: 2026	Commodity: Nursery (NVS) (1010)	Use: <del>AW</del> !^* [ ] A FD
Date: 4/2/2025	Plan: Dollar Amount Of Insurance (50)	County: Harney (025)

## Special Provisions 2026 and Succeeding Crop Years

Year: 2026	Commodity: Nursery (NVS) (1010)	Underwriting Code: FD
Date: 4/2/2025	Plan: Dollar Amount Of Insurance (50)	County: Harney (025)

Q. Smudge Pots, Portable Heaters and/or Wind Machines with sufficient capacity to provide protection for all plants throughout the duration of potential frost damage.

R. No Protection.

UNREPORTED PLANT CATEGORIES - For catastrophic level of coverage, for each insured practice, you must insure and report on the NVR, the selected value of all insurable plant categories in each unit. Any unreported plant categories will not be insured. Additionally, in the event of a loss, we will calculate pre-loss actual unit value for each unreported plant category and assign the value proportionately to the pre-loss actual unit value. The plants in each unreported plant category will be listed as undamaged in the Appraisal Worksheet.

**Type**

Plants of any species produced in standard nursery or greenhouse containers such as plug trays, sheet pots, tray packs, and bedding packs with cells equal to or less than 3 inches across at the widest point of the cell interior and they must maintain a firm root ball when lifted from the container.

**Annual Plants**

Plants of any species produced in standard nursery or greenhouse containers such as plug trays, sheet pots, tray packs, and bedding packs with cells equal to or less than 3 inches across at the widest point of the cell interior and they must maintain a firm root ball when lifted from the container.

Liners in trays containing multiple species, subspecies, varieties or cultivars are not insurable.

Plants in connected containers (i.e. plug trays, sheet pots, tray packs and bedding packs) with cells larger than 3 inches across at the widest point of the cell interior shall be treated as a separate container.

For cold protection purposes, liners consisting of Annual Plants & Plants Grown for One Year or Less, palms, cycads and, have separate Cold Protection Requirements from liners consisting of perennials other than palms, cycads and plants grown for one year or less.

(2) Annual Plants and Plants Grown for One Year or Less

## Special Provisions

2026 and Succeeding Crop Years

Year: 2026	Commodity: Nursery (NVS) (1010)	Use: <del>AW</del> !^* [ ] A FD
Date: 4/2/2025	Plan: Dollar Amount Of Insurance (50)	County: Harney (025)



## Special Provisions

### 2026 and Succeeding Crop Years

Year: 2026	Commodity: Nursery (NVS) (1010)	Use: <del>AW</del> !^* [ ] A FD
Date: 4/2/2025	Plan: Dollar Amount Of Insurance (50)	County: Harney (025)

## Special Provisions

2026 and Succeeding Crop Years

Year: 2026 Commodity: Nursery (NVS) (1010) Use: 40001^\* [ ] A FD  
Date: 4/2/2025 Plan: Dollar Amount Of Insurance (50) County: Harney (025)

Chelanthus, Chelone, Chenopodium, Chiastophyllum, Chimaphila, Chondropetalum, Christia, Chysactinia, Chrysanthemopsis, Chrysanthemum, Chrysogonum, Chrysobalanus, Chrysopsis, Chrysothemis, Cicuta, Cinna, Cirsium, Cladium, Claytonia, Cleretum, Clianthus, Clinopodium, Clintonia, Clivia, Coix, Colchicum, Coleostephus, Colocasia, Comanthosphace, Comptonia, Conoclinium, Consolida, Convallaria, Coptis, Coreopsis, Cornukaempferia, Coronilla, Corydalis, Corynephorus, Corynocarpus, Costus, Cotula, Crambe, Craspedia, Crinum, Crocosmia, Crossopetalum, Cryptanthus, Cryptogramma, Cuphea, Curuligo, Curcuma, Cyclamen, Cymbopogon, Cynara, Cypella, Cyperus, Crytanthus, Cystopteris, Dactylis, Dahlia, Dalea, Dampiera, Danthonia, Darlingtonia, Damera, Daubenya, Degenia, Delosperma, Delphinium, Dennstaedtia, Deparia, Deschampsia, Desmanthus, Desmodium, Dianella, Dianthus, Diarrhena, Diascia, Dicentra, Dichondra, Dichorisandra, Diclptere, Dictamnus, Didelta, Dierama, Dietes, Digitalis, Dimerocostus, Dimorphotheca, Dionaea, Dioscorea, Dipogon, Dischidia, Disporopsis, Diporum, Dissotis, Distichlis, Doellingeria, Doronicum, Dorycnium, Doryopteris, Douglasia, Draba, Dracocephalum, Drimiopsis, Drosera, Duchesnea, Dudleya, Dulichium, Dymondia, Dyschoriste, Echeandia, Echeveria, Echinacea, Echinops, Echinopsis, Echium, Edraianthus, , Eichhornia, Eleocharis, Elettaria, Ellisiophyllum, Elymus, Encelia, Epigaea, Epilobium, Epimedium, Equisetum, Eragrostis, Eremurus, Erigeron, Erinus, Eriophorum, Eriophyllum, Eritrichium, Emodea, Erodium, Eryngium, Erysimum, Erythronium, Etlingera, Eucomis, Eupatorium, Euphorbia, Eurybia, Euryops, Euthamia, Eutrema, Eutrochium, Evolvulus, Faidherbia, Fallopia, Farfugium, Felicia, Festuca, Filipendula, Fragaria, Francoa, Freesia, Fritillaria, Fumana, Gaillardia, Galanthus, Galax, Galega, Galium, Galtonia, Garberia, Gasteraloe, Gaura, Gazania, Gelsemium, Gentiana, Geogenanthus, Geranium, Gerbera, Geum, Gilia, Gillenia, Gladiolus, Glandularia, Glaucidium, Glechoma, Globba, Globularia, Gloriosa, Gloxinia, Glyceria, Goniolimon, Grindelia, Gunnera, Gypsophila, Habranthus, Hacquetia, Haemanthus, Hakonechloa, Harpochloa, Hedychium, Hedyasarum, Helenium, Helianthemum, Helianthus, Helichrysum, Heliconia, Helictotrichon, Heliopsis, Heliotropium, Helleborus, Hemerocallis, Hepatica, Heracleum, Hermannia, Hesperantha, Hesperis, Heterocentron, Heterospathe, Heterotheca, Heuchera, Heucherella, Hibiscus, Hieracium, Hierochloa, Hippeastrum, Hippocrepis, Hirpicium, Hoffmannia, Holcus, Homalomena, Homeria, Hordeum, Horminum, Hosta, Houstonia, Houttuynia, Humulus, Hyacinthoides, Hyacinthus, Hydrastis, Hydrocotyle, Hydrophyllum, Hymenocallis, Hymenoxys, Hypericum, Hypoxis, Hypsela, Hyssopus, Hystrix, Iberis, Iliamna, Imperata, Incarvillea, Inula, Ipheion, Ipomopsis, Iris, Isolepis, Isotoma, Iva, Ixia, Jacobaea, Jamesbrittenia, Jeffersonia, Jovellana, Jovibarba, Juanulloa, Juncus, Kadsura, Kaempferia, Kalimeris, Kennedia, Kirengeshoma, Kleinia, Knautia, Kniphofia, Koeleria, Kosteletzkya, Krigia, Kuhnia, Lablab, Laccospadix, Lamium, Lampranthus, Lamprocapnos, Lapageria, Lasiacis, Lathyrus, Ledebouria, Leersia, Leonotis, Leontopodium, Leonurus, Lepidium, Leptinella, Leptodactylon, Lespedeza, Lesquerella, Lessingia, Leucanthemopsis, Leucanthemum, Leucojum, Leucosceptrum, Levisticum, Lewisia, Leymus, Liatris, Libertia, Licania, Ligularia, Lilium, Limonium, Linaria, Lindneria, Linnaea, Linum, Lippia, Liriope, Lithodora, Lithospermum, Lobelia, Lomandra, Lophospermum, Lotus, Ludwigia, Lupinus, Luzula, Lychnis, Lycium, Lycopus, Lygeum, Lysichiton, Lysimachia, Lythrum, Machaeranthera, Macleaya, Macropidia, Maianthemum, Malephora, Malva, Manettia, Manfreda, Marrubium, Marshallia, Matteuccia, Maurandella, Mauranthemum, Mazus, Mecardonia, Meconopsis, Meehania, Melampodium, Melica, Melinis, Melissa, Mentha, Mentzelia, Merremia, Mertensia, Mesembryanthemum, Micromeria, Miliium, Mimulus, Minuartia, Mirabilis, Miscanthus, Mitchella, Mitella Mitaria, Molinia, Monarda, Monardella, Monocostus, Montiopsis, Moraea, Morina, Mucuna, Muehlenbeckia, Muhlenbergia, Mukdenia, Mukgenia, Muscari, Musella, Myoporum, Myosotis, Myrrhis, Napaea, Narcissus, Nassella, Nasturtium, Nauplius, Nautilocalyx, Nelumbo, Nematanthus, Neomarica, Nepeta, Nerine, Nipponanthemum, Nototrichium, Nuphar, Nymphaea, Odontonema, Oenanthe, Oenothera, Oligoneuron, Olsynium, Omphalodes, Onoclea, Onopordum, Ophiopogon, Origanum, Ornithogalum, Orostachys, Orthosiphon, Orthrosanbthus, Oryzopsis, Osbeckia, Osmorhiza, Osmunda, Osteospermum, Otacanthus, Oxalis, Oxera, Oxypolis, Oxytropis, Pachysandra, Packera, Paeonia, Panax, Panicum, Papaver, Paradisea, Pardancanda, Parnassia, Parochetus, Paronychia, Parthenium, Paspalum, Passiflora, Patrinia, Pedicularis, Pelargonium, Pellionia, Peltandra, Peltoboykinia, Pennisetum, Penstemon, Pentalinon, Pentas, Penthorum, Peristrophe, Perityle, Perovskia, Persicaria, Petasites, Petchoa, Petrocallis, Petrocoptis, Petrophytum, Petrorrhagia, Peucedanum, Phacelia, Phaedranassa, Phalaris, Phenimus, Phegorpteris, Phlomis, Phlox, Phormium, Phragmites, Physalis, Physostegia, Phyteuma, Pilosella, Pinellia, Pinguicula, Piper, Pistia, Pityopsis, Platycodon, Plecostachys, Poa, Podophyllum, Podonatherum, Pogostemon, Polermonium, Polianthes, Poliomintha, Polygala, Polygonatum, Polystichum, Pontederia, Porana, Portea, Portulaca, Pratia, Prenanthes, Primula, Pritzelago, Prosartes, Prunella, Pseudoroegneria, Psilostrophe, Pteridium, Pterocephalus, Ptilotus, Pulmonaria, Pulsatilla, Pycnanthemum, Quisqualis, Ranunculus, Raoulia, Ratibida, Rehmannia, Reineckia, Reseda, Rheum, Rhodanthemum, Rhodiola, Rhodochiton, Rhodocoma, Rhodohypoxis, Rhodophiala, Rhynchospora, Rivina, Rodgersia, Rohdea, Romneya, Roscoea, Rosularia, Rubia, Rudbeckia, Ruellia, Rumex, Rupicapnos, Saccharum, Sagina, Sagittaria, Salvia, Sanguinaria, Sanguisorba, Santolina, Sanvitalia, Saponaria, Sarcandra, Sarracenia, Saruma, Satureja, Saururus, Saxifraga, Scabiosa, Scadoxus, Schaefferia, Schaueria, Schizachyrium, Schizostylis, Schoenoplectus, Scilla, Scirpus, Scleranthus, Scrophularia,

## Special Provisions

### 2026 and Succeeding Crop Years

Year: 2026	Commodity: Nursery (NVS) (1010)	Use: <del>AW</del> !^* [ ] A FD
Date: 4/2/2025	Plan: Dollar Amount Of Insurance (50)	County: Harney (025)



## Special Provisions

### 2026 and Succeeding Crop Years

Year: 2026	Commodity: Nursery (NVS) (1010)	Use All Risk AC FD
Date: 4/2/2025	Plan: Dollar Amount Of Insurance (50)	County: Harney (025)

Á@ã &ã@ c@	Áã } ã * ãe
Á@ã •	Á[ à!ããe
Á@ãe } [ ] •ã	Á[ ] @ [ ] ãã
Á@ã[ á^} á! [ }	Á] æ@ @    ~ {
Á@^ à [ áã {	Á] æ@ *    cã
Á@^} æ [ ] @!ã {	Á] áã c@•
Á@æ { ã ^áã {	Ácã @ ] ^æ
Áã^æ	Ácã ^ ãe
Áã&ãã} ãe	Ác^ã
Á æ &^!ã {	Ác^ [ *    cã
Á ^&dã c@•	Ác^ [ •æ& •
Á ^! [ c@ã ã	Ád^ ã ãe
Á[ ^] [ áã {	Ád [ { ã c@









## Special Provisions

2026 and Succeeding Crop Years

Year: 2026      Commodity: Nursery (NVS) (1010)      UIC: 10011^\* [ ] A FD  
 Date: 4/2/2025      Plan: Dollar Amount Of Insurance (50)      County: Harney (025)

AO [ ] • a @ •	AO [ ] ^ a e	AO • ^ } @ a a e	ARe [ ] @ e	AT • • a } a e	AU • a   a e	A [ @ • [ • a & @ •
AO { a a e	AO { a [ • a e @   a	AO a a e } a e	AR • a a e	AT •   a a e c @ •	AU a } a a e	A [ a [ • & @ a e
AO   a } a e	AO [ { a   ^ c {	AO a } a e } a e	AS a [ a e	AT •   a a e	AU a } a ^ a e	A [ a ] } a e
AO [ ] { } a e	AO [ ] a a a e	AO a * ^ • a e	AS a [ a a ^ } a [ ]	AT •   a a e	AU a } c [   a e	A [ a ] •
AO [ ]   a a e	AO [ ] [ & a } •	AO a @ a   a e	AS a [ a ] • a	AT •   [ c [ ]	AU ^ a } a a e	A [ a ] a e
AO [ ] * a } a e	AO [ ]   a a } a e	AO a a e	AS a [ ] a } a e	AT •   • a ^	AU a } a [ ] a	A [ a ] a e
AO [ ] •   a a e	AO [ ] [ ] { a e	AO a •	AS a   a e	AT •   c •	AU a } a a } •	A [ a ] a e
AO [ ] ^ a e	AO [ ]   a a e	AO a a {	AS [ ] • a e	A a } a } a e	AU a [ ] a   a e	A [ a ] a e
AO [ ] ^ } a e	AO [ ]   a   a ^	AO a } a ^ } a e	AS a e & @ } a } a [ c a e	A a e a e	AU a } a [ a ^ } a [ ]	A [ a ] a e } a • a
AO [ ] * { a } • a e	AO [ ]   a a e	AO a { [ ] a ^ } a [ ]	AS [ ] * a } a ^ } a [ ]	A a e a } a   a e	AU a a •	A [ a ] & @ a ^ } a [ ]
AO [ ] • ^   a e	AO [ ]   • a e	AO a ^ a } a e	AS • : ^ a e	A a { [ ] a } c @ •	AU [ ] a   a e	AV } a
AO [ ] a e	AO [ ]   [ ] a e	AO & @ a e	AS a • } a a e	A a [ ] a : ^ a e a e	AU [ • { a } •	AV a   a   a e
AO • a a e	AO [ ]   a e	AO   a a e	AS a • } &   a a e	A a [ ] a ^ a   a e	AU [ c @ a } a e	A a • ^   a } a e
AO [ ] ^ • a e	AO [ ]   a a   a e	AO a } a e	AS a } a e	A a   a {	AU • & •	A a • a e
AO [ ] ^   a e	AO [ ]   a a e	AO a } a e	AS a   a e	A a , a [ •   a e	AU • ] [ ] a e	A a } a a e
AO [ ] c •	AO [ ] a ^ a e	AO a a ^ } a e	AS a   •	A a   a e	AU • • a   a e	A a • d a * a e
AO [ ] • [ ] a e	AO [ ]   [ ] a e	AO a   a e	AS a a } a   a e	A a [ ] [ ] a e	AU a e	A a a   a e
AO a • a } a e	AO [ ] , a e	AO a   c @   a e	AS a • [ ] a e	AU & @ a e	AU a e	A a • d [ a ^ } a e
AO a   a e	AO [ ] a • a } a e	AO a a   a e	AS a a {	AU & @ [ • a e	AU a e   a e	A [ a ] a e
AO a   a e } a   a e	AO [ ] a [ a ^ } a [ ]	AO a } a e	AS a [ ] @   a {	AU a e	AU a } a e {	A a } c @   a e
AO a   a e { [ ]	AO [ ] a a a e	AO a } a e	AS a   a & @ a e	AU a a e	AU a a e	A a [ ] { a e
AO a   a e } a @ •	AO [ ] , a e	AO a a } a e & @ a e	AS a   a a   a e	AU a   a e	AU a e &   a e	A a • a e
AO a   a e } a e	AO [ ] a } a } a e	AO   a a e	AS a   a •   a { •	AU [ ] & a e	AU a e	A a • a e

(7) Coniferous Trees and Shrubs

Perennial woody trees and shrubs that have needle-like or scale-like leaves that remain on the plant for several seasons.

This does not include small plants of this category grown as Liners or plants grown as Foliage Plants.

Genera Included: Abies, Afrocarpus, Agathis, Athrotaxis, Calocedrus, Cedrus, Cephalotaxus, Chamaecyparis, Cryptomeria, Cunninghamia, Cupressus, Fitzroya, Juniperus, Microbiota, Microcachrys, Nageia, Phyllocladus, Phyllodoce, Picea, Pinus, Platycladus, Podocarpus, Prumnopitys, Pseudotsuga, Saxegothea, Sciadopitys, Sequoia, Sequoiadendron, Taxus, Thuja, Thujopsis, Tsuga.

(8) Deciduous Trees and Shrubs

## Special Provisions 2026 and Succeeding Crop Years

Year: 2026	Commodity: Nursery (NVS) (1010)	Use: 10001^* [ ] A FD
Date: 4/2/2025	Plan: Dollar Amount Of Insurance (50)	County: Harney (025)

Perennial woody deciduous trees and shrubs that lose their leaves seasonally.

This does not include small plants of this category grown as Liners or plants grown as Foliage Plants.

Genera Included: Abeliophyllum, Acer, Acrocarpus, Adansonia, Adina, Adonis, Aesculus, Aglaia, Albizia, Aleurites, Alnus, Alstonia, Amelanchier, Anacardium, Annona, Aronia, Artocarpus, Asimina, Astronium, Averrhoa, Berberis, Betula, Brachychiton, Brownea, Buddleja, Bulbine, Bursera, Butea, Callicarpa, Calycanthus, Caragana, Carica, Carpinus, Caryopteris, Casimiroa, Castanea, Castanopsis, Catalpa, Ceiba, Celtis, Cercidiphyllum, Cercidium, Cercis, Chaenomeles, Chilopsis, Chimnanthus, Chionanthus, Chitalpa, Citrus, Cladostamnos, Cladrastis, Clethra, Cochlospermum, Colvillea, Cornus, Corylopsis, Corylus, Cotinus, Crataegus, Cydonia, Dalbergia, Dasiphora, Davidia, Decaisnea, Delonix, Deutzia, Dichroa, Diervilla, Diospyros, Dimocarpus, Dirca, Disanthus, Edgeworthia, Elaeagnus, Elliottia, Emmenopterys, Ensete, Enterolobium, Erythrina, Eucommia, Euonymus, Euscaphis, Exochorda, Fagus, Fallugia, Fendlera, Firmiana, Fontanesia, Forestiera, Forsythia, Fothergilla, Fouquieria, Frangula, Franklinia, Fraxinus, Garcinia, Gaylussacia, Geoffroea, Ginkgo, Gleditsia, Gymnocladus, Halesia, Hamamelis, Handroanthus, Havardia, Heptacodium, Hibiscus, Hippophae, Holodiscus, Hovenia, Hydrangea, Idesia, Itea, Jacaranda, Jacquemontia, Jamesia, Juglans, Kerria, Koelreuteria, Kokia, Kolkwitzia, Laburnocytisus, Laburnum, Lagerstroemia, Larix, Lavatera, Leitneria, Lindera, Liquidambar, Liriodendron, Litchi, Litsea, Lonicera, Maackia, Macadamia, Maclura, Magnolia, Malacomeles, Malus, Mangifera, Manihot, Manilkara, Melia, Metasequoia, Morus, Musa, Neolitsea, Neviusia, Nothofagus, Nyssa, Oemleria, Oplopanax, Ostrya, Oxydendrum, Parrotia, Parrotiopsis, Paulownia, Peltophorum, Peraphyllum, Persea, Phellodendron, Philadelphus, Physocarpus, Pinckneya, Pistacia, Plagianthus, Platanus, Platycrater, Plinia, Plumeria, Pongamia, Populus, Potentilla, Pouteria, Prosopis, Prunus, Pseudobombax, Pseudocydonia, Pseudolarix, Psidium, Psoralea, Ptelea, Pterocarya, Pterostyrax, Punica, Purshia, Pyrus, Quercus, Rhamnus, Rhigozum, Rhodotypos, Rhus, Ribes, Robinia, Rosa, Roseodendron, Rubus, Salix, Sambucus, Sapindus, Sapium, Sarcobatus, Sassafras, Schizolobium, Schotia, Sibiraea, Sinocalycanthus, Sinojackia, Sophora, Sorbaria, Sorbus, Spiraea, Spondias, Staphylea, Stephanandra, Stereospermum, Stewartia, Styphnolobium, Styrax, Symphoricarpos, Syringa, Tabebuia, Taxodium, Terminalia, Theobroma, Tilia, Toona, Ulmus, Ungnadia, Vaccinium, Viburnum, Vitex, Weigela, Xanthoceras, Zanthoxylum, Zelkova, Zenobia, Ziziphus.

### (9) Palms

Perennial fibrous (woody-like) or herbaceous plants that can have a prostrate, trunkless or trunk-forming growth habit resulting in a solitary or cluster-type structure. Large palmately, pinnately or costapalmately compound evergreen leaves form from the main stem.

This does not include small plants of this category grown as Liners or plants grown as Foliage Plants.

Genera Included: Acoelorrhapha, Acrocomia, Actinokentia, Aiphanes, Allagoptera, Alsmithia, Archontophoenix, Areca, Arenga, Asterogyne, Astrocaryum, Attalea, Bactris, Balaka, Barcella, Basselinia, Beccariophoenix, Bentinckia, Bismarckia, Borassodendron, Borassus, Bowenia, Brahea, Brassiophoenix, Burretioakentia, Butiagrus, Calyptrocalyx, Calyptrogone, Calyptronoma, Carpentaria, Carpoxyton, Caryota, Ceroxylon, Chamaedorea, Chamaerops, Chambeyronia, Chelyocarpus, Chigua, Chuniophoenix, Clinostigma, Coccothrinax, Cocos, Colpothrinax, Copernicia, Corypha, Cryosophila, Cyphophoenix, Cyrtostachys, Deckenia, Dictyosperma, Dransfieldia, Drymophloeus, Dypsis, Elaeis, Euterpe, Gaussia, Geonoma, Gronophyllum, Guahaia, Hedyscepe, Heterospathe, Howea, Hydriastele, Hyophorbe, Hyphaene, Iguanura, Itaya, Johannesteijsmannia, Jubaea, Jubaeopsis, Kentiopsis, Kerriodoxa, Laccospadix, Latania, Leucothrinax, Licuala, Livistona, Lytocaryum,



## Special Provisions

### 2026 and Succeeding Crop Years

Year: 2026	Commodity: Nursery (NVS) (1010)	Use Code: 0001^* [ ] A FD
Date: 4/2/2025	Plan: Dollar Amount Of Insurance (50)	County: Harney (025)

In order to be eligible for insurance coverage against flooding, all Spathiphyllum species and cultivars must be grown on benches or in some other way raised a minimum of 4" off the ground.